

Product Details

□□ YC6M340-33

□□ 11.2 L

□□ 350hp

Product Display



Technical Parameter

□□	EQ3310AT9
□□ □□ □□□□	9950,10050,10150,10250 □ 10350 × 2500 × 3450
□□□ □□□□□ □□□□	7200,7300,7400,7500 □ 7600 × 2300 × 1100
□□ □□□□	1850 + 3400 + 1350 □ 1850 □ + 3200 + 1350 □
□ □□ □□□□	31000
□□ □□ □□□□	15870; 15805
□□ □□ □□□□	□
□□□ □□	YC6M340-33; dCi340-30
□□ V □□	9839V250; 11120V250
□□ □□	DFL3310A9
□□ V □□□	30 32,30 31,30 30,30 29
□□ V □□□	1500 1950,1500 2050,1500 2150,1500 2250



1. 15

15

2. ISO

15

3. 15

15 30

4. RORO

15

5. 15

15 30

6. 15

ISO CCC BV

ISO CCC BV

ISO CCC BV

ISO CCC BV

ISO CCC BV 1

ISO CCC BV

ISO CCC BV TVT LVC

ISO CCC BV

ISO CCC BV



ISO CCC BV & Lt;

ISO

ISO CCC BV

ISO CCC BV

Milla Nong

TEI/Whatsapp : +8618772815090

Email : Chinatruck@chinasonglin.cn

Web:www.mioutruck.com

SKYPE : Milla Nong

