

Product Details

□□ YC6M340-33

□□ 11.2 L

□□ 350hp

Product Display



Technical Parameter

□□	EQ3310AT9
□□ □□ □□□□	9950,10050,10150,10250 □ 10350 × 2500 × 3450
□□□ □□□□□ □□□□	7200,7300,7400,7500 □ 7600 × 2300 × 1100
□□ □□□□	1850 + 3400 + 1350 □ 1850 □ + 3200 + 1350 □
□ □□ □□□□	31000
□□ □□ □□□□	15870; 15805
□□ □□ □□□□	□
□□□ □□	YC6M340-33; dCi340-30
□□ V □□	9839V250; 11120V250
□□ □□	DFL3310A9
□□ V □□□	30 32,30 31,30 30,30 29
□□ V □□□	1500 1950,1500 2050,1500 2150,1500 2250



Verified Certificates



Package & Shipment

□□□ □□□□□□□□□□□□ 20' GP □ 40' GP□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□



1. 15

15

2. ISO

15

3. 15

15 30

4. RORO

RORO PIs

5. 30

30

6. 15

ISO CCC BV

ISO CCC BV

ISO CCC BV

ISO CCC BV

ISO CCC BV 1

ISO CCC BV

ISO CCC BV TVT LVC

ISO CCC BV

ISO CCC BV



ISO CCC BV & Lt;

ISO

ISO CCC BV

ISO CCC BV

Milla Nong
 TEL/Whatsapp : +8618772815090
 Email : Chinatruck@chinasonglin.cn
 Web:www.mioutruck.com
 SKYPE : Milla Nong