Product Details

□□□□□ □□□□□ □□□□□DFA1080LJ12D3
□□□□4×2 □□□□□□□□ □□□□□□□□
□□□□1□ □□□□□99km/h □□□□□□3

Product Display

Technical Parameter

□□ □□

□□□□□□□	□□□□□□□□□		
□□□□□Kg□	8275	□□□□□□mm□	8300×2200×3210
□□□□□□KG□	8080	□□□□□	4 * 2
□□□□□□□□□□	3	□□/□□□□□□□	□□□□□□□□□□□□□□□
□□□/□□□□□°□	12/24	□□□□mm□	3800
□□□□	2	□□□□□□□□□/□□□□	99
□□ □□□			
□□□□□	DFA1080LJ12D3	□□□□□	□□□□□□□□□□
□□□	□□□	□□□□	6 + 1
□□□□mm□	6815 * 2080 * 2440	□□□□□	7.50-16 14PR
□□□□/□□□□□°□	24/14	□□□□□□□□□	1770
□□□□□	8□10□+ 7,11 / 9 + 7	□□□□□mm□	1586
□□□□□	□□□□	□□□□□	□3 /□4
□□□ □□	□□□□ □□□□□	□□ □□□□□	□□□□kw□
YC4E140-42	□□ □□□□□□□□□□□	4260	103
Performance			
□□□ □□□□□	20	□□□□□ □□□□□	18
□□□ □□□□□	360 □	□□ □□□□□□□	200□□□

□□□□□□□

□□□□□□□□□□China.Our□□□□□□□□ R&□□;□□Zhengmeng□□□□□□□□□□□□□□□

□□□□□□

□□□□□□

□□□□□

Verified Certificates

Package & Shipment

□□□□□

□□□□□□□□□□□□□□20'GP □40'GP□□□□□□□□□carriersor□□□□□□□□□□□□□□

□□□□□□□□ 15□

FAQ

[illegible]

[illegible]

[illegible]ISO[illegible]

[illegible]

[illegible]

[illegible] 15 [illegible]30[illegible]

[illegible]

[illegible]

[illegible]

[illegible]3000 [illegible]

[illegible]

[illegible]ISO CCC[illegible]BV[illegible]

[illegible]