Product Details

□□□□□ □□□EQ5160JSQF1 □□□□□□□190
□□□□4×2 □□□□□□4 □□□□□5T□□□10□
□□□□□□ □□□□ □□□□□□□□□□□□□□□

Product Display

Technical Parameter

□□□□□	□□	□□
□□□□	□□	EQ5160JSQF1
	□□□□□mm□	9000 * 3670 * 2490
	□□□mm□	1860□□□□
	□□□□□□	6.355T
	□□□□	EQ1160GFJ1
	□□□	15.9T
	□□□□□	XSQ5200
	□□□□□	3.8T
	□□□□	5T
	□□□□	9/10+ 8
□□□	□□□□□	□□□ 190
	□□□□	190hp
	□□□□□□	140□□
	□□□□	6 * 4
	□□□□	□4
□□	□□□□	10.00-20 10.00R20
	□□□	6
□□□	□□□□□□;□□	Fast8JS58E
	□□	8

□□ □

□□ □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□

决定成败
AILS

□□□□□

Verified Certificates

Package & Shipment

□□□□□□□□:

□□: □□□□□□□□□□□□□□□□ 20' GP □ 40' GP□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□: 15 □

FAQ

[illegible]

[illegible]

[illegible]ISO[illegible]

[illegible]

[illegible]

[illegible]15[illegible]30[illegible]

[illegible]

[illegible]

[illegible]

[illegible]3000[illegible]

[illegible]

[illegible]ISO CCC[illegible]BV[illegible]

[illegible]

[illegible]

[illegible]

[illegible]1[illegible]

[illegible]

[illegible]T / T[illegible]L / C[illegible]

[illegible]

[illegible]

Contact us

[illegible]!

[illegible]:

[illegible]

[illegible]