Product Details

□□□□□CLQ5100ZBS4
□□□□□kg□□10490
□□□□□kg□□4500
□□□□□kg□□5795
□□□□□mm□□7100×2490×3300
□□□mm□□3950
□□□□□5-7□
□□□□□EQ1100FLJ8
□□□□□mm□□1800/1810

Product Display

www.mioutruck.com

www.mioutruck.com

Technical Parameter

□□ □□	
□□□□	CLQ5100ZBS4
□□□□□kg□	10490
□□□□□kg□	5795
□□/□□□□□	28/19
□□□mm□	3950
□□□□□km / h□	90
□□□□	5-7ton
□□ □□	4500
□□□□□mm□	7100×2490×3300
□□□□□mm□	1065/2085
□□□kg□	4000/6490
□□□□□□□	3 □
□□	
□□□□	EQ1100FLJ8
□□□□	6800×2364×2370
□□/□□□□□	34/30

[illegible]	9/12 + 9
[illegible]	YC4E140-42
[illegible]	103
[illegible]	[illegible]
[illegible]	6
[illegible]	9.00-20 12PR
[illegible]mm[illegible]	1810/1800
[illegible]	4260
[illegible]	GB17691-2005[illegible]Ⅳ

[illegible]

[illegible]

[illegible]

[illegible]

Verified Certificates

Package & Shipment

□□: □□□□□□□□□□□□□□ 20' GP □ 40' GP□□□□□□□□□□□□□□□□□□□□□□

□□□□: 15 □

FAQ

□□□□□□□□□□

□□□□

□□□□□ISO□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□15□□□□□□□□□□□□□□□□□30□□□□□□□□

□□□□□□□

□□

□□□□□□□□□□□□□□

□□□3000□

□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□ISO CCC□BV□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

[illegible]

[illegible]1[illegible]

[illegible]

[illegible]T / T[illegible]L / C[illegible]

[illegible]

[illegible]

Contact us

[illegible]!

[illegible]:

[illegible]

[illegible]

Hubei Miou Special Automobile Technology Co.,Ltd
Name:Lincy
Post: Sales Representative
Email:lincy@chinasonglin.cn
Tel:+8613597902165
QQ:2853937064
Website:www.mioutruck.com