

Product Details

□□□□□□:

□□□□□□□□

□□□□: 4 x 2

□□□□: 90 km/h

□□□□: Euro2

□□□□: □□

□□□□: □□

□□: 336HP

□□: ZF8098

□□□□: 300 L

Product Display



Technical Parameter

□□ □□

| | |
|------------------------|---------------------|
| □□ (L x □ x □□□□) | 11184 × 2496 × 3046 |
| □□ □□□□ (L x □ x □□□□) | 8480 × 2326 × 600 |
| □□ □/□□□ (°) | 10/16 |
| □□ (□/□□ □□) | 1500/3109 |
| □□ (mm) | 5200 + 1400 |
| □□ □□ | 90/102 |
| □□□□ (KG) | 13170 |
| □□□□ (KG) | 12000 |
| □□□□ | |

| | | |
|----------|---------------------------------------|---------------|
| WD615.69 | | |
| | | |
| | | |
| | | |
| | | |
| | | HW15710 |
| | | |
| | | |
| | | ZF8098 |
| | HF9 T | |
| | ST16 | |
| | 12.00-20/12.00R20/12R22.5/315/80R22.5 | |
| | | 2X12V/165Ah |
| | | 28V 1500kw |
| | | 7.5 k w / 24V |

Our Company & Factory

Address:

Phone:



□□□□:



Verified Certificates



Package & Shipment

□□□□□□:

□□: □□□□□□□□□□□□ 20' GP □ 40' GP□□□□□□□□□□□□□□□□□□□□□□

□□□□: 15 □

