Product Details

□□□□□	□□□□□	□□□□□□□
□□□□4×2	□□□□□□□□□	□□□□□□ISDe180 30
□□□□□90km/h	□□□□□□□	□□□7800x2470x3150mm

Product Display

Technical Parameter

4×2

[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]4×2[illegible]
	[illegible]	7800x2470x3150mm
	[illegible]	6000kgs-7000kgs
	[illegible]	10205kg
	[illegible]	90km/h
	[illegible]	[illegible]4×2
	[illegible]/[illegible]	1880/1860
	[illegible]/[illegible]	20°/ 10°
[illegible]	[illegible]	4500mm
	[illegible]	9.00-20
	[illegible]	2
	[illegible]	7/9 + 6
[illegible]	[illegible]/ HP	4500ml/ 180HP
	[illegible]	ISDe180 30
	[illegible]	5[illegible]
	[illegible]	[illegible]
[illegible]		15[illegible]

Our Company & Factory

[illegible]

[illegible]

[illegible]

Verified Certificates

Package & Shipment

□□□□□□□:

□□: □□□□□□□□□□□□□□□□ 20' GP □ 40' GP□□□□□□□□□□□□□□□□□□□□□□□□□□
□□□□: 15 □

FAQ

□□□□□□□□

□□□□

□□□□□ISO□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□15□□□□□□□□□□□□□□□□□30□□□□□□□□

□□□□□□□

□□□

□□□□□□□□□□□□□□□

□□□3000□

□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□ISO CCC□BV□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□1□□

□□□□□□□□□□□

□□□□□T / T□□□L / C□

□□□□□□□□□□□□