

Product Details

□□ □□ □□

□□: □□□□ □□

□□□□ □□: 4 x 2

□□ □□: 4260

□□: □□ □□

□□ □□: □□ □□ □□: 12450

□□ □□: □□ 4

□□: 3001 -6000 L

□□ □□: □□

Product Display



Technical Parameter

□□□□ □□

□□ □□ □□

□□ □□ □□

□□

□ □□ (Kg)	12450
□□ □□ □ (Kg)	6000
□□ □□ (Kg)	6255
□□ □□	3
□□ □□ □□ □	30/21
□□□□ □	2
□□ □□ (Kg)	4750/7700
□□□□ □□ (mm)	7620 × 2500 × 3350
□□ □□ □ □ □ (mm)	1250/2170
□□ □□ (mm)	39,504,200
□□ □□ (Km/h)	90
□□ □□	EQ1121GKJ2
□□□□	□□
□□	7200 × 2462 × 2740
□□ □□ □□ □	30/28,30/29
□□ □□□.	8 / 11 + 8
□□	□□
□□ (mm)□□	6
□□□□ □□	9.00-20-14PR, 9.00 R 20-14PR
□ □□ □□ (mm)	1900
□□ □□ □□ (mm)	1800
□□ □□ (ml)	4260
□□ □□	□□ IV

□□□□, □□ □□ □□□ □ □□ □□□□□.

2 □□ □□ □□ hydrocylinders□□□.

□ □□ □□ □□ dustbins □□ □□□ □□ □□□ □□□ □□ □□ < 60.

Our Company & Factory

□□ □ □□:

□□□□ □□, □□□□ □□□ □□ □□, □□ □□□ R & D, □□, □□ □□ □□ □□□ □□□. □□□□ □□ □□ □□ Zhengmeng □□ □□ □□ Co., □□ □□ □□ □□ □□□ □□□ □□ □□ □□ □□ □□ □□□

□□ □□□□□:



□ □ □ □ □ :



Verified Certificates



Package & Shipment

□□: □□, □□, □□ □□ □□ □ □□□ 20' GP 40' GP, □ □□ □□ □ □ □□ □□ □□ ro ro □□ □□ □□ □□ □□ □□

□□ □: 15 □

Manager Sara

Skype: newst-sara

Tel: 86-0719-8319942

Mob.: 86-13872781686

E-mail: truck@chinasonglin.cn

Address: Cadillac Road No. 9,
Zhangwan District, Shiyang City, Hubei province

Hubei Miou Special Vehicle Technology Co., Ltd.