

Product Details

□□ □□: □□□□ □□

□□ □□: 90 km/h

□ □: 3800 m m

Trpy:low □□ □ □□□

Product Display





Technical Parameter

□□□□ □□ (mm)	6480 × 2285 × 2480, 2660
□□ □□	EQ1070TJ9AD3
□ □□ (kg)	7490
□□ □□ (kg)	4795
□□ □□	3090/4400
□□ □□	EQ1070TJ9AD3
□□ □ □	2
□ □ (mm)	3800
□□ □□	3
□□ □ □□□	6
□□□ □□	8.25-16,7.50-16, 8.25R16, 7.50R16
□□ / □□ □□ (°)	42694
□□ / □□ □ □ □ □ (mm)	1180/1600
□□ □□ (km / h)	90
□□ □□	□□
□□ □□ (mm)	1835,1750
□□ □□ (mm)	1640,1586
□□□□	11/9 7, 8/10 7

Our Company & Factory

□□ □ □□:

□□□ □ □, □□□ □□□ □□ □ □, □□ □□□ R & D, □□, □□ □□ □□ □□□ □□□. □□□ □□ □□ □ □ Zhengmeng □□ □□ □□ Co., □□ □□ □□ □ □ □□□ □□□ □□ □ □□ □□ □□ □□ □□

□□ □□□□□



□ □ □ □ □



Verified Certificates



Package & Shipment

□□: □□, □□, □□ □□□ □□ □□□□ 20' GP 40' GP, □□□□ □□ □□□□ □□ ro ro □□ □□ □□□□ □□ □□ □□ □□: 15 □



FAQ

Q: □□□ □□?

A:One □

ISO □□□□ □□?

□□□□, □□□, pls □□□ □ □□ □□□ □□□ □□.

Q: □□ □□□ □ □?

A: □□□ □□□ □□□□ □□ □□ □□, □□ □□□ □□□ □ □□ □ □□□ 15 □, □□ □□, □□□ □□ □ 30 □ □□□ □ □ □□.

Q: □□□ □ □?

A: □□ RORO □□ □□ □□ □□ □□ □□ □□ □ □□□□, □□□□ □□ □□ □□ □□ □□ □ □□□ Pls □□□ □ □□ □□ □□□ □□□□.

Q: □□□ □□ □□ □□ □ □□ □□□□?

A: □□ 3000 □□

□□□ □□□ □□□ □□□ □□□ □□□?

A: □□ □□□ □□ □□ workshop ISO CCC BV □□□□□□□, □□□ □□□ □ □□ □□. □□□ □□ □□ scrutinizing □□ □□□ □□.

Q: □□□□ □□ □□ □□□ □□□ □□□?

A: □□□ □□ □□ □□ □□ □ □□□□ □□ □□, □ 3 □ □□□□ □□ □□ □□ □□.

Q: □□□ □□ □□□ □□ □ □□□□□□? □□□ □□□ MOQ □□□?

□□□□□, □□□, □□□□ MOQ□ 1 □□.

Q: □□ □□ □□ □□□□□□?

A: T/T □□ □□ □□.

Q: □□ □□ □ □□□□?

A: □□□ □□ □ □□ □□□, □□□□□□, □□□□□□□, □□, □□□□, □□□□, □□, □□□□, □□, □□□□, □□□ □ □□ □□□ □□ □□□□ □□ □ □ □ □ □□

□□□□ □□ □□□ □□.

Contact us

□□□ □□□ □□□□□□ □□□ □□□, □□ □□□!

□□ □□:

□□ □□□ □□□ □□□ □□ □□ □□. □□□ □□□ □□□ □□□ □□ □□ □□□□ □□□ □□□ □□ □□□ □□ □□□□.

□□□ □□ □□ □□□ □□ □□□ □□ pls □□ □ □□ □□□□ □□□□. □□□ □□□ □□□□ □□ □□ □□□□. Pls □□ □ □□□ □□□ □□ □□□□:

Milla

Tel:+86 0719 8319942

Mob:+8618772815090

Email: Chinatruck@chinasonglin.cn
njxanjax@163.com

Web:www.mioutruck.com

