

Product Details

Model : CSC5317GJYZ4 G.V.W (KG) : 31,000kg Capacity : 28.9m³

Weight : 19,365kg Dimensions : 11,990 × 2,500 × 3,450mm Horsepower : 11505

Dimensions : 1800 + 4600 + 1,350mm F / R Wheelbase : 2022 / 2022,1830 / 1,830mm Displacement : 9726ml

Product Display





www.mioutruck.com



www.mioutruck.com

Technical Parameter

PARAMETER

000 00

CSC5317GJYZ4 refuling 00

G.V.W (KG)	31,000kg
容积	28.9m ³
自重	19,365kg
尺寸	11,990 × 2,500 × 3,450mm
功率	11505
F / R 尺寸	1,500 , 2,740mm
轴数	4
重量	/ 7000 6500 / 17,500kg
轴距	
总长	1800 + 4600 + 1,350mm
速度	80km/h
配置	(16) , (13)
配置	
发动机	ZZ1317N4667D1B
变速箱	ZZ1317N4667D1B (ZZ1317N4667D1B 2)
尺寸	11695 × 2496 × 3125
轴距	(12)
配置	(16) / (19)
轮胎	12.00R20 16PR, 295 / 80R22.5
轴数	4 × 4
F / R 尺寸	2022 / 2022,1830 / 1,830mm
标准	GB17691-2005 Ⅳ, GB3847-2005
排放标准	D10.34-40
displacemet	9726ml
功率	249kw

Our Company & Factory

联系方式：

Miou 销售部 销售部, 电话: +86 153 123 1234, china.our R & A 销售部; D, 电话: +86 153 123 1234, china.our 销售部; Zhengmeng 销售部 (D) 销售部

联系我们



□ □ □ □ □



Verified Certificates



Package & Shipment

□□ : □□, □□□ □□□ □□ □□ 20'GP □□ 40'GP □□ □ □□□□, □ □□□ □□ □□□ □□ □□ □□ □□ □□□□ □ □□□ □□ □□ : □□□



FAQ

Q : □□□ □□□ □□□

A : 〇 〇

Q : 〇〇〇 ISO 〇〇〇〇 〇〇〇 〇〇〇〇?

A : 〇, 〇〇〇〇, pls 〇〇 〇〇〇 〇〇 〇〇 〇〇〇〇 〇〇〇〇〇〇.

Q : 〇〇〇 〇〇 〇〇〇 〇〇〇〇〇?

A : 〇〇〇 〇〇〇 〇〇〇〇 〇〇 〇〇〇, 〇〇〇 〇〇〇〇 〇〇 〇〇 〇 (15) 〇, 〇〇〇 〇〇〇 〇〇, 〇〇〇 〇〇 〇〇 30 〇 〇〇〇 〇〇〇〇〇.

Q : 〇〇〇 〇〇〇〇 〇〇〇〇〇?

A : 〇〇 RORO 〇〇 〇〇 〇〇 〇〇 〇〇 〇〇〇〇 〇〇 〇〇 〇 〇〇〇〇, 〇〇 〇〇〇 〇〇 〇〇 〇〇〇 〇〇〇〇〇 〇〇, Pls 〇〇 〇〇〇 〇〇 〇〇〇 〇〇〇 〇〇〇 〇〇 〇〇 〇 〇 〇〇〇〇.

Q : 〇〇 〇〇〇 〇 〇 〇〇〇 〇〇 〇〇〇 〇〇 〇〇〇?

A : 〇〇 3000 〇〇

Q : 〇〇〇 〇〇〇 〇〇〇 〇〇〇 〇〇 〇 〇 〇〇〇〇?

A : 〇〇〇 〇〇 〇〇 〇〇 workshop 〇〇, ISO CCC BV 〇〇〇 〇〇〇, 〇〇〇 〇〇〇〇〇 〇 〇〇〇〇〇〇. 〇〇〇 〇〇 〇〇〇 〇〇 〇〇〇 〇〇 〇〇〇 〇〇〇〇.

Q : 〇〇〇 〇〇〇 〇〇 〇〇 〇 〇〇〇 〇〇〇〇〇 〇〇?

A : 〇〇 〇 〇〇〇 〇 〇〇 〇〇 〇〇〇〇 〇〇 〇〇〇 〇〇〇 〇〇 〇〇 〇〇〇 〇〇 〇〇 〇〇 〇〇 〇〇.

Q : 〇〇〇 〇〇〇 〇〇 〇〇〇 〇〇〇〇? 〇〇〇 MOQ 〇〇〇 〇〇〇〇〇?

A : 〇, 〇〇〇 〇 〇〇〇 MOQ 1 〇〇〇〇〇.

Q : 〇〇 〇〇〇 〇〇〇〇〇?

A : T / T 〇〇 〇〇〇 L / C 〇〇〇.

Q : 〇〇 〇〇〇 〇〇〇 〇〇〇〇?

〇〇: 〇〇〇 〇〇〇 〇〇 〇〇 〇〇〇, 〇〇〇〇〇, 〇〇〇〇〇, 〇〇〇〇〇〇,〇〇, 〇〇〇, 〇〇〇, 〇〇, 〇〇〇, 〇〇, 〇〇〇, 〇〇, 〇〇〇, 〇〇〇 〇 〇〇〇 〇〇 〇〇〇〇 〇〇〇〇, 〇〇 〇〇〇

□ □□ □□□ □□ □□□□.

Contact us

□□□ □□□□ □□□□ □□□□ □□, □□□ □□□ □□□□, □□ □□□□ □□!

□□ :

□□ □□□ □□ □□□□□. □□□□ □□□ □□ □□□ □□ □ □ □□□ □□□ □□□ □□ □ □ □□□□.

□□□ □□ □□□ □ □□ □□□ □□□□□□□, pls □ □□□ □□ □□□□ □□□□□. □□□ □□□□□□ □□ □ □□□ □ □□□. PIs □ □□□ □□ □ □□□ □□□ □□□□ □□

Hubei Miou Special Automobile Technology Co.,Ltd

Name:Lincy

Post: Sales Representative

Email:lincy@chinasonglin.cn

Tel:+8613597902165

QQ:2853937064

Website:www.mioutruck.com