

## Product Details

□□ □□ □□:

□□: □□□ □□ □□: □□ 3 □□ speed(km/h): 90

□□ □□: □□ □□: □□ □□□ GW(kg): 24900

□□□: □□□, □□ □□□ □□: □ □ □□ □□ □□: EQ1252GFJ

## Product Display





Technical Parameter

□□	□□□	□□
	□□ □□	EQ1252GFJ
	□□□□ □□	6 × 2, LHD/RHD
	□□□	10.00-20
	□□□ □□	8+1(spare)
	□□ □□□	□□ □□, □ □□ □□□□
	□□□	Uniwafer, □□ □□□, □□ □□ □□
	□□	9 □□□ □□, 1 □□□ □□, □□ □□ □□
□□	□□	B190-33
	□ Power(hp)	190
	Displacement(cc)/Power(kw)	5900/140
	□□	□□ 3
□□ □□ □□	□□□□ □□ (L * W * H/mm)	11980 * 2490 * 38000
	□□ □□ (L * W * H/mm)	8500 * 2294 * 1000
	Wheelbase(mm)	2150 + 5050
	□□ □□	3
	GVW(kg)	24900
	□□ (kg)□ □□	12250
	□ □ □	10/10/12 + 9
	□□/□□ □ (°)	10 □-34
	□□/□□ trace(mm)	1940/1860
	□□/□□ suspension(mm)	1250/2720
	□□ speed(km/h)	90
	□□/□□ □□ Load(kg)	6850/6850/11200
□□	□ □ □ □ □□□; □□ □□□	
□□□	□□□ capacity:6.3/8T/10T; □□ □ □□ □□ □ □□	

**Our Company & Factory**

□□ □ □□:  
 □□□ □ □, □□□ □□□ □□ □ □, □□ □□□ R & D, □□, □□ □□ □□ □□□ □□□. □□□ □□ □□ □ □ Zhengmeng □□ □□ □□ Co.,  
 □□ □□ □□ □ □ □□□ □□□ □□ □ □□ □□ □□ □□ □□



□□ □□□□:



□□ □□□□:



Verified Certificates



### Package & Shipment

□□ □□, □□□ □ □□:

□□ □□: 7-10 □

□□□ □□□: b/L □□ □□ □□ □□ □□ 70 %TT 30 %TT

□□: □□, □ □, □□ □□□ □□ □ □□□ 20' GP 40' GP, □ □□ □□ □ □ □□ □□ □□ □□ □□ □□ □□ □□ □□



## Contact us

☐ ☐:

☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐. ☐.

☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐, pls☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐. ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐. Pls☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐.

☐ ☐ ☐ ☐:

**Christina (Sales Manager)**

**Skype : 494397183@qq.com**

**Tel:+86-0719-8319942**

**Mobile:+86-15107178396**

**Website: [www.mioutruck.com](http://www.mioutruck.com)**

