

Product Details

Model:

Capacity:

3

Weight:

Capacity:

4000 kg

4000 kg

Engine: Commins

180hp

4000 kg

Product Display





Verified Certificates

□□□ □□		
□□	□□	□□ □□

EQ1141G7DJ2			
EQ1141G7DJ2			
mm	7840 × 2480 × 3030		
kg	3800-4000		
kg	□□ × 10300		
mm	Approx2000		
kg	Approx14000		
Kg	Approx13000		
mm	□□		
5000 m m	EQB180-20		
1940/1860 m m	□□/hp		5880/132 ml/kw
1245/1970 mm	□□ □□□ / 100 □□□□		22.4 L
34/14 °	□□ □□ □□		18 m
90km/h	□□ □□ □□		28 °
10.00-20	□□ □□		248 mm
8 / 10 + 8	□□ □□		6speeds
□□ □□□□	□□ □□□□		395 m m
8.5 m	□□ □□		(□□ □□)
4 × 2	□□ □□□		24v
2	□□□□ □□ □□□ □□		3

Our Company & Factory

□□ □ □ □□□ □□ □□ □□ □ □ Zhengmeng □□ □□ □□ Co., □□ □□

□□ □ □□:

□□□□ □ □, □□□□ □□ □ □, □□ □□□ R & D, □□, □□ □□ □□ □□□ □□□. □□□□ □□ □ □ Zhengmeng □□ □□ □□ Co., □□ □□ □□ □ □ □□□ □□ □ □ □□ □□ □□ □□ □□

□□ □□□□□:



□ □ □ □ □ :



Verified Certificates



Package & Shipment

□□ □□ □□:

□□, □ □□ □□, □□ □□ □□ □ □□□□ 20' GP □□ 40' GP, □ □□ □□ □ □ □□ □□ carriersor ro-ro □□ □□ □□ □□ □□

□□ □□ □□: 15 □



Contact us

በጣም ጣም ጣም ጣም, ጣም ጣም ጣም, ጣም ጣም ጣም!

ጣም ጣም:

ጣም ጣም ጣም ጣም ጣም ጣም. ጣም ጣም ጣም ጣም ጣም ጣም ጣም ጣም ጣም ጣም ጣም ጣም.

ጣም ጣም ጣም ጣም ጣም ጣም, ጣም ጣም ጣም ጣም. ጣም ጣም ጣም ጣም ጣም ጣም. ጣም ጣም ጣም ጣም ጣም ጣም.

Manager Sara

Skype: newst-sara

Tel: 86-0719-8319942

Mob.: 86-13872781686

E-mail: truck@chinasonglin.cn

Address: Cadillac Road No. 9,
Zhangwan District, Shiyan City, Hubei province

Hubei Miou Special Vehicle Technology Co., Ltd.