

Product Details

□□□ □□ □□

□□:	□□□	□□□:	□□	□□ □□:	□□ 4
□□ □□:	□□	□□ (□□ × □ × H) (mm):	* 2500 * 3000 8550	□ □ □ □:	12495
□□□:	□□□. □□ (□□)	□□□:	□□	□□ □□:	DFL

Product Display





Technical Parameter

□ □ □ □

总重	GW 12,495kg		
重量 (kg)	12495	轴数	4 * 2
轴距 (mm)	3800	轴间距 (mm)	* 2500 * 3000 8550
重量 (kg)	8500	轴间距 (mm)	
轴间距 (mm)	9 * 20	轴间距 (mm)	2,120 * 1,430
轴间距 (mm)		轴间距 (mm)	4700
轴间距 (mm)	8,095 * 4,400	轴间距 (km / h)	(100)
轴间距			
轴间距	DFL1120B13	轴间距	轴间距
轴间距		轴间距 (mm)	* 2370 * 2760 8790
轴间距	8.25-16 14PR	轴间距	6
轴间距	9 * 7 + 6, 10 * 8 + 8	轴间距 (mm)	1880, 1,924
轴间距		轴间距 (mm)	1,800
轴间距	轴 4	轴	MANUL

Our Company & Factory

轴间距 :

Miou 轴间距 轴间距, 轴间距 china.our 轴间距 R & A 轴间距; D, 轴间距 轴间距 轴间距 轴间距 轴间距 轴间距 轴间距 轴间距 轴间距 轴间距 轴间距 Zhengmeng 轴间距 () 轴间距

轴间距 :



□ □ □ □ □ :



Verified Certificates



Package & Shipment

□□: □□, □□□□ □□, □□ □□ 20'GP □□ 40'GP □□ □ □□□□□, □ □□□ □□ □□□□ □□ □□ □□ □□ □□ □□□□ □ □□□ □□ □ □□□



Contact us

Hubei Miou Special Purpose Vehicle Technology Co.,Ltd

Manager: Janice

Email: chinatruck@chinasonglin.cn

Skype: [694604857@qq.com](https://www.skype.com/people/694604857)

Mob: +86-18772959567

Tel: 86-0719-8319942