

Product Details

品牌: 东风

驱动形式: 4 x2

最高车速: 90 km/h

轴距: 3300

档位: 3

排放标准: ISB170 40

型号: EQ5160JSQF

座位数: 4

排量: 170

Product Display





Technical Parameter

名称 型号		Dongfeng EQ5160JSQF
主要参数		
G. V. W. (kg)		15900
总质量, toal (kg)		9,350
Loading 质量 (kg)		6,355
轴数		4 X 2
最高车速, 公里/h		90KM/h
最大总质量 (KG)		5950
最大载质量 (KG)		9950
轴距		9 / 10 + 8
前/后倾角: (°)		12/23
主要尺寸		
尺寸 (mm) (L * W * H)		8530 × 2490 × 3670
轴距	Dimension(L*W*H)	5200 × 2300 × 550, 600
轴距 (mm)		5100
轴距 (mm)		19,201,960
主要配置		
轴数	轴数	3
	轴数	3
发动机	排放标准	ISB170 40
	额定功率, 千瓦	170hp
	额定功率, 千瓦	125KW
	排量(ml)	5900
变速箱	变速箱	8JS85E
	变速箱	8JS85E
其他配置		4

Our Company & Factory

公司简介:

东风商用车有限公司, 东风商用车有限公司, 东风商用车有限公司 R & D, 东风商用车有限公司, 东风商用车有限公司. 东风商用车有限公司 Zhengmeng 东风商用车有限公司 Co., 东风商用车有限公司 东风商用车有限公司 东风商用车有限公司 东风商用车有限公司

联系我们:



□□ □□□□□:



Verified Certificates



Package & Shipment

□□: □□, □□, □□ □□□ □□ □□□□ 20' GP 40' GP, □□ □□ □□ □□ □□□□ □□ ro ro □□ □□ □□ □□ □□ □□ □□ □□: 15 □



FAQ

Q: 0000 0 0?

A: One 0

ISO 0000 00?

00000, 000, pls 000 0 00 000 000 00.

Q: 00 0000 0 0?

A: 000 000 00000 00 00 00, 00 000 000 0 00 0 0 00 15 0, 00 00, 000 00 0 30 0 000 0 0 00.

Q: 0000 0 0?

A: 00 RORO 00 00 00 00 0000 00 00 0 00000, 00000 00 00 00 00 00 0 00 00 Pls 0000 0 00 00 0000 00000.

Q: 0000 00 00 00 0 0 00 0000?

A: 00 3000 00

0000 0000 0000 0000 0000 0000?

A: 00 0000 00 00 workshop ISO CCC BV 00000000, 0000 0000 0 00 00. 0000 00 00 scrutinizing 00 0000 00.

Q: 00000 00 00 0000 0000 0000?

A: 0000 00 00 00 00 0 00000 00 00, 0 3 0 00000 00 00 00 00.

Q: 0000 00 0000 00 0 000000? 0000 00 MOQ 00?

000000, 0000, 0000 MOQ 1 00.

Q: 00 00 00 000000?

A: T/T 00 00 00.

Q: 00 00 0 0000?

A: 0000 00 0 00 0000, 000000, 000000, 000000, 00, 0000, 0000, 00, 0000, 00, 0000, 0000 0 00 0000 00 00000 00 0 0 0 0 00 00000 00 0000 00.

Contact us

0000 0000 0000 00, 0000 00 0000, 0000 0 00 0000!

00 00:

00 0000 0000 0000 00 00 00. 0000 0000 0000 0000 00 00 0 00000 0000 0000 0000 00 0 00000.

0000 00 00 0000 0 00 0000 00 pls 00 0 00 0000 00000. 0000 0000 00000 0 0 00 00000. Pls 00 0 0000 0000 00 00000: