

Product Details

Model: DFA1070SJ20D5

Dimensions (mm): 5895 * 1950 * 2190

Wheelbase: 7.00R16

No.s: 6 seats

Configuration: 6 / 6 + 5

Wheel width (mm): 1586

Wheel width (mm): 1530

Product Display



www.mioutruck.com



Technical Parameter

CSC5071GJY4			
G.V.W(Kg)	7350	4 * 2	
□ load(Kg)	9□4□	□□□□ □□ (mm)	5990 * 2050 * 2500
□□ □□ (kg)	3620	□ □□	3.2
□□/□□ □ (°)	27/21	F/R □ □ □ □ (mm)	1115/1575
□□ No.s	2	□ □□ (mm)	3300
□□ load(Kg)	2940 4410	□□ speed(Km/h)	80
DFA1070SJ20D5			
□□ □□	DFA1070SJ20D5	□□□□ □□ (mm)	5895 * 1950 * 2190
□□□ □□	7.00R16	□□□ No.s	6
□ □	6 / 6 + 5	□□ □ □□ (mm)	1586
□□ □□	desile	□□ □ □□ (mm)	1530
□□ □□	□□	□□ (ml)	□ (kw)
ZD30D13-4N	□ □ □ □□ □□., (□)	2953	96
□□□ □□	Q235carbon □□□		
□□ t □□□	□□□, desiel		
A□□□ □ □□ □□ □□ □□, □□ □ □□ □ □□ □□ □□			
□□ □ □□ □□ □□ □□□□ □□ □□ □□			
B, □□□ □□ □□, □ □□□□. □ □□ □□ □□ □□, □□ □□ □□□ □□□			
C□□ □□ □ □□□ □□ □□□ CCPPFM, □□ □ □□ □□ □□ □□ 15 □□ □ □□□ □□□ □ □ □, □□ □□□ □ □ □□□			
D□□ □□□ □□ □□ □ □□ □ □ □□□, □ □□ □ □□□□. □ □□ □ □ □□ □□ □□ □□ □□ □□ □□ □□ □□□			
E□□ □□□ □□ □□ □ □□ □ □□□, □ □□ □□ □□ □□ □ □□□□. □□ □□ □□ □□ 1-3 □□ □□□			

Our Company & Factory

□□ □ □□:

公司主要从事 R & D, 生产, 销售 电子产品. 公司 位于 中国

公司 名称 Zhengmeng 电子有限公司 Co., 公司 地址 中国 广东省 深圳市

公司 电话



公司 网站



Verified Certificates



Package & Shipment

Q: 20' GP 40' GP, ro ro 20' GP 40' GP, ro ro 20' GP 40' GP, ro ro 20' GP 40' GP

A: 15



FAQ

Q: 20' GP 40' GP?

A: One

ISO 20' GP 40' GP?

20' GP, 40' GP, pls 20' GP 40' GP 20' GP 40' GP.

Q: 20' GP 40' GP?

A: 20' GP 40' GP 20' GP 40' GP, 20' GP 40' GP 20' GP 40' GP 15' GP 40' GP, 20' GP 40' GP 20' GP 40' GP 30' GP.

Q: 20' GP 40' GP?

A: 20' RORO 20' GP 40' GP 20' GP 40' GP 20' GP 40' GP 20' GP 40' GP, 20' GP 40' GP 20' GP 40' GP 20' GP 40' GP Pls 20' GP 40' GP 20' GP 40' GP.

Q: 20' GP 40' GP 20' GP 40' GP?

A: 20' 3000

20' GP 40' GP 20' GP 40' GP 20' GP 40' GP?

A: 20' GP 40' GP 20' GP workshop ISO CCC BV 20' GP 40' GP, 20' GP 40' GP 20' GP 40' GP. 20' GP 40' GP scrutinizing 20' GP 40' GP.

Q: 20' GP 40' GP 20' GP 40' GP?

A: 20' GP 40' GP 20' GP 40' GP 20' GP 40' GP, 20' GP 40' GP 20' GP 40' GP.

