Product Details

Condition:new Fuel Type:Diesel Axle number:4 Capacity(Load):11-20t Emission Standard:Euro 3 Crane Model:SQ16SA3 Place of origin:Hubei,China(Mainland) Transmission Type:Manual Gross Vehicle Weight:31000kg

Product Display





Technical Parameter

Truck Mounted Crane

Overall dimension(mm)	12000×2490×3850			G.V.W(Kg)	G.V.W(Kg) 31000		
Load capacity(kg)	1410			Curb weigh(Kg) 1670		1670	
Engine model	YC6A26C26033			Emission		7255/8300	
Axle number	4			Axle load(Kg	xle load(Kg) 6500/6500/18000		
Rear wheel distance(mm)	1860/1860			Frontwheel distance(mn	1980/1980		
Tyre specification	10.00-20,10.00R20,11.00-20,11.00R20			Wheelbase(m	ım)	2100+4250+	
Technical patameters of crane							
Crane Model.			SQ16SA3				
Max Lifting Weight(kg)			16000				
Max Lifting Moment(N.m)			376000N.m				
	Section Form	pentago n	Slewing	Slewing Angle Range(°)		±360	
	Boom QTY.	4	Mechanism	Slewing Speed r/MIN	2		
Boom	Boom Telescope Speed(m/s)	6.8/35	Crane Leg	Leg Style		H Leg	
	Boom Lifting Speed(°/s)	70/22	Crane Leg	Span(m)		2.2~7.2	
	Max Working Radius(m)	15	Hydraulic Space	Pressure (Mpa)		24	
	Boom Length(m)	4.5~15		Oil Tank Volume(L)		180	
	Max Lifting Height(m)	17	Dead weight(kg)	4200			
	Single Rope Allowable	22000	Matching Chassis	Above 12 tons chassis			
	Tension(N)						

Our Company & Factory

Brief Introduction:

Miou is located in Shiyan, Hubei province, China.Our company is specialized in R & D,manufacture and sales of special purpose vehicles .We are the special purpose vehicles production base company of the Chinese Dongfeng Motor Group and also the Overseas Department of Dongfeng Zhengmeng Special Purpose Vehicle Co., Ltd.

Company Display:



Company Display:



Verified Certificates



Packaging Details:

nude, covered with wax, small type can be put into 20'GP or 40'GP, big type can be carried by bulk carriersor ro-ro ship or according to your requirements

Delivery Detail: 15 days



Contact Us



