

Product Details

place of origin:Hubei,Shiyan
tonnage level:heavy truck
gear box:FAST 12JSD240TA
power[kw]:335
wheelbase(mm):3300+1350mm
emission standard: Euro4

Product Display







Technical Parameter

□main basic parameter□

brand	dongfeng tianlong	drive wheel	6×4
model number	DFL4251A15	displacement□ml□	1120
G.V.W(Kg)	25000	transmission type	manual
rated load(Kg)	40000	overall dimension (mm)	6960*2500*3700
curb weight(Kg)	8,800	place of origin	Hubei,Shiyan
allowance passenger in cabin	3,2	tonnage level	heavy truck
gear box	FAST 12JSD240TA	max speed (Km/h)	98
torque	2237N.m	max speed ratio	1400rpm

leaf spring	3/4,3/10	power[kw]	335
chassis parameter			
alxe No.s	3	wheelbase(mm)	3300+1350mm
tire No.s	10	tire specification	11.00R20 295/80R22.5
front wheeltrack (mm)	2040	rear wheel track (mm)	1820/1820
rear alxe load(Kg)	18000	emission standard	Euro4
engine model	ISZ450 41	displacement[ml]	13000
max horse power	450	power[kw]	335
oil tanker volume	750L	tanker material	aluminum alloy

Our Company & Factory

Brief Introduction:

Miou is located in Shiyan, Hubei province, China. Our company is specialized in

R & D, manufacture and sales of special purpose vehicles .We are the special purpose vehicles production base company of the Chinese Dongfeng Motor Group

and also the Overseas Department of Dongfeng Zhengmeng Special Purpose Vehicle Co., Ltd.

Company Display:



Factory Display:



Verified Certificates



Package & Shipment

Delivery Detail: Shipped in 15 days after payment

Packaging Details: nude, covered with wax, small type can be put into 20'GP or 40'GP, big type can be carried by bulk carriers or ro-ro ship or according to your requirements



FAQ

Q:How about the warranty?

A:One year

Q:Do you have ISO certificate ?

A:Yes , we have,pls contact us to get our certifications.

Q:How about the delivery time?

A: Most of our trucks are all have in stock ,We can delivery to you within 15 days, if specially ordered , we always need around 30 days for production.

Q:How about shipping ?

A:Big size