

## Product Details

### QUICK DETAILS:

Condition:New  
 Fuel Type:Diesel  
 Engine Power:310hp

Emission Standard:Euro3  
 Drive Wheel:8X4  
 Brand Name:FAW

Maximum speed: 79km/h  
 Chassis brand: FAW  
 Chassis model: CA1310P63K2L6T4E

## Product Display



[www.mioutruck.com](http://www.mioutruck.com)

## Technical Parameter

|                          |                        |  |                  |
|--------------------------|------------------------|--|------------------|
| Chassis model            | CA1310P63K2L6T4E       | Chassis brand  | FAW              |
| Overall dimensions       | 11825x2495x2896mm      | Wheel base   | 1950+4550+1350mm |
| Front/rear wheel track   | 1950/1950,1847/1847 mm | Front/rear suspension  | 1400/2575mm      |
| Approach/departure angle | 21/12°                 | Maximum speed  | 79km/h           |
| Chassis Manufacturer     | FAW Group Corporation  |  |                  |
| Cab                      | Configuration          | J6M a row and a half deluxe cab(with sleeping berth), allowable 3 passengers, electric lift glass, manual mirrors, air damping seats, automatic air conditioner, high efficiency single air filter, electric hydraulic lifting device. |                  |
|                          | Color                  | Red, other color is optional   |                  |

|                 |   |   |
|-----------------|---|---|
| Engine          | Model   | CA6DL1-31E3F  |
|                 | Emission  | Euro 3  |
|                 | Type  | 6 cylinders, in-line, 4-stroke, turbo inter-cooling, direct injection diesel engine |
|                 | Rated power                                       | 310hp, rated power speed 2300rpm  |
|                 | Displacement                                      | 7700ml  |
|                 | Max.torque  | 1200N.m   |
|                 | Bore x stroke                                     | 110x135mm   |
|                 | Manufacturer                                      | FAW Group Corporation   |
| Tire            | Size  | 11.00R20 steel wire tire  |
|                 | Number  | 12+1 nos  |
| Clutch          | φ430 diaphragm clutch                             |   |
| Frame           | 270×75×(7+5)mm                                    |   |
| Fuel tank       | 600L Aluminum alloy                               |   |
| Front axle      | 1950 front axle                                   |   |
| Rear axle       | Φ457 13T casting type, main reduction ratio 4.444 |   |
| Drive form      | 8X4   |   |
| Suspension      | Multi leaf springs                                |   |
| Rated voltage   | 24V,DC  |   |
| Transmissions   | gearbox CA10TAX130M, 10 speed forward 2 reverse.  |   |
| Steering device | Power assisted steering                           |   |
| Steering wheel  | Left hand drive                                   |   |

## Our Company & Factory

### Brief Introduction:

Miou is located in Shiyan, Hubei province, China. Our company is specialized in R & D, manufacture and sales of special purpose vehicles. We are the special purpose vehicles production base company of the Chinese Dongfeng Motor Group and also the Overseas Department of Dongfeng Zhengmeng Special Purpose Vehicle Co., Ltd.

### Company Display:



**Factory Display:**



**Verified Certificates**







**Contact us**

**We provide you sincerely service if you have interest,contact us now!**

**REMARKS:**

The above information is just for your reference. We can manufacture the trucks as per your request and we can fulfill all your demands.

If you have any other questions or need any other information, please feel free to contact me. It would be my great pleasure to be on your service. Please check my contact information as following:

**Christina (Sales Manager)**

**Skype : 494397183@qq.com**

**Tel:+86-0719-8319942**

**Mobile:+86-15107178396**

**Website: [www.mioutruck.com](http://www.mioutruck.com)**



