

## Product Details

### Quick Details :

Engine:	ISDe180 30	Power:	155(kw)	Fuel type:	Diesel
Dimension:	8700×2495 ×3460(mm)		Maximum speed:	90(km/h)	
Displacement:	5900(ml)	Kerb weight:	14795(kg)		

## Product Display





### Technical Parameter

DONGFENG TIANJIN truck mounted crane 5T			
MODEL	EQ1250GZ4DJ3	Dimension	11940X2490X3980(mm)
Total mass	25000 (kg)	Approach / departure angle	29/17 (°)
Rated payload	10205(kg)	F/R suspension	1250/3400(mm)
Kerb weight	14795(kg)	Maximum speed	90(km/h)
Engine	ISDe180 30/ISDe185 30		
Displacement	5900(ml)	Power	155(kw)
Manufacturer	Dongfeng Cummins Engine Co., Ltd.		
Emission standard	GB3847-2005,GB17691-2005 GIV		
Number of the axles	3	Front tread	1940(mm)
Wheel base	5000,4700(mm)	Rear tread	1860(mm)
Number of the tires	10	Tire type	10.00R20 18PR,10.00-20 16PR
Fuel type	Diesel	Number of the springs	8/13

Axle load	7000/18000	Cab Passengers	3
-----------	------------	----------------	---

## Our Company & Factory

### **Brief Introduction:**

Miou is located in Shiyan, Hubei province, China. Our company is specialized in R & D, manufacture and sales of special purpose vehicles. We are the special purpose vehicles production base company of the Chinese Dongfeng Motor Group and also the Overseas Department of Dongfeng Zhengmeng Special Purpose Vehicle Co., Ltd.

### **Company Display:**



### **Factory Display:**



**Delivery date:** 15 days



**Contact us**

**We provide you sincerely service if you have interest,contact us now!**

**Remarks:**

The above information is just for your reference. We can manufacture the trucks as per your request and we can fulfill all your demands.

Should you have any other questions or need any other information, pls feel free to contact me. It would be my great pleasure to be on your service. Pls check my contact information as following:

**Hubei Miou Special Purpose Vehicle  
Technology Co.,Ltd**

**Manager: Janice**

**Email:chinatruck@chinasonglin.cn**

**Skype:694604857@qq.com**

**Mob: +86-18772959567**

**Tel: 86-0719-8319942**

