Product Details

□□□□□ 1.model: CSC5160GYYDX5
2.G.V.W (kg): 16000
□□□ 3.Drive: 4 * 2
□□□□ 4.rated (kg): 9800
□□□□ 5.overall (mm): 8990 * 2380 * 3180
□□□ 6.wheel (mm): 4700
□□□□ 7.chassis: DFL1160BX5
□□□□□□□ 8.emission: Euro4
□□□□□□ 9.tanker (L / □□.□.): 16

Product Display

汽油
www.mioutruck.com

汽油
www.mioutruck.com

Technical Parameter

□□□□□□□□□□□□ □□□□□□□□□□□□			
□□□ □□□□□	CSC5160GYYDX5		
G.V.W (kg)	16000	□□□□□ □□□	4 * 2
□□□□□□□□□□□□□□□ □□□□ (kg)	9800	□□□□□□□ □□□□ (□□)	8990 × 2380 × 3180
□□□ □□□□□□□ (□□□□□□□□)	6005	□□□□□□□ □□□□□□□□□ (□□)	3
□□□□□□□ / □□□□□□□□□□ □□□)	12/19	F / R □□□□□ (mm)	1430/2860
□□□ No.s	2	□□□ □□□ (mm)	4700
□□□ □□□□ (kg)	6000/10000	□□□□□□ □□□□□□□□ (□□□□□□□□ / □□□)	80
□□□□□□□□			
□□□□□□ □□□	DFL1160BX5	□□□□□□□ □□□□ (□□)	7190 × 2370 × 2760
□□□ □□□□	9.00R20	□□□ No.s	6
□□□□□ □□□□□□□□□□□	8/10 + 8	□□□□□□□□ □□□ □□□□□ (mm)	1880
□□□□□□□□□□ □□□□	desile	□□□□□□□□ □□□ □□□□□ (mm)	1860
□□□□□□□□□ □□□□□□□	Euro4	□□□□□□ boxs	6 □□□□□□
□□□□□□□	D530 □□□, □□□ □□□ □□□□ □□□ □□□□□□□, □□□□□ □□□□□ □□□□, □□□□□ □□□□ □□□□□□, □□□□ □□□□ □□□□□□□□□, □□□ □□□□□ □□□□□□□		
□□□□□□□□□□□ □□□	□□□□□□□	□□□□□□□□□□□□□□□□□ (□□□□)	□□□□□□□ (□□□□□□□□□□)
ISB180 40	Dongfeng □□□□□□ □□□□□□□□□□□ □□□□□ □□□□□	5900	132
□□□□□□□□□□□□□□□□ □□□□□ (L / □□.□.))	16		
□□□□□□□□□□□□□□□□ □□□□□	Q235carbon □□□□□.		
□□□□□ □□□□	□□□□□□□□□□□□ desiel		
□□□□□□			

A, □□□□□ □□□ □□□□□□□□ □□□□□□ □□ □□□□□ □□□ □□□ □□□□□□□□□□□
 □□□□□ □□□ □□□□□□□□□ □□□□□□ □□□□□□□□ □□□□□ □□□□□ □□□□□□□□□□□ □□□
B, □□□□□ □□□□ □□□□□□□□□□□, □□□□□□ □□□□ □□□□□□ □□□□□□□□□ □□□□□□ □□□□□
 □□□□□□ □□□□□□□ □□□ □□□□□□□□;
□□□□□□ □□ □□□□□□ □□□□□□□□□□□□ CCPFPM, □□□□□□□□□□□□□□□ □□□ □□□□□□□□□ □□□□
15 □□□□ □□□ □□□ □□□ □□□□□□□□□□□□□□□□□□□□□ □□□, □□□□□□□□□□ □□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□□ □□□□□□□□□;
D □□□ □□□□□ □□□□□□ □□□ □□□□□□ □□□ □□□□□□ □□□□ □□□□□□□□□□□□□□□ □□□□□□
□□□□□ □□□□ □□□□ □□□□ □□□ □□□□□□□□ □□□□ □□□□□□;
E □□□ □□□□□ □□□□□□ □□□ □□□□□□ □□□ □□□ □□□□ □□□□ □□□□□□ □□□□□ □□□□□
□□□□□□□ 1-3 □□□ □□□;

Our Company & Factory

□□□□□□□□□□ □:

Miou □□□□□□ Shiyan, □□□□□□□□□□□, □□□ □□□□□□ □□□□□□□□□□□□□□□□□□□□□□□□ R & D, □□□□□□□□□□□□□□□□□□□□ □□□ □□□□□□ □□□□□□□□□□□□□□□□□□ Dongfeng Motor □□□□□□□□□□□□□□□□□□□□□□□□□□ Dongfeng Zhengmeng □□□□□□□□□□□□□□□□□ □□□□□□

□□□□□□□□□□□□ □□□□□□

□□□□□□□□□□□□□□□

Verified Certificates

Package & Shipment

□□□□□□□□: □□ 20'GP □□□□ 40'GP

[illegible] RO-RO [illegible]

[illegible]: 15 [illegible]

FAQ

Q: [illegible]

A: [illegible]

Q: [illegible] ISO?

A: [illegible]

Q: [illegible]?

A: [illegible] 15 [illegible] 30 [illegible]

Q: [illegible]?

A: [illegible] RORO [illegible], [illegible]

Q: [illegible]?

A: [illegible] 3000 [illegible]

Q: [illegible]?

A: [illegible] workship [illegible] ISO CCC BV [illegible]

Q: [illegible]

A: [illegible]

Q: [illegible]? [illegible] MOQ [illegible]?

A: [illegible] MOQ [illegible] 1 [illegible]

Q: [illegible]

A: [illegible] T / T [illegible] L / C [illegible]

Q: [illegible]?

A: [illegible], [illegible], [illegible], [illegible], [illegible], [illegible], [illegible], [illegible], [illegible], [illegible] [illegible] [illegible]

[illegible],[illegible]!

[illegible]:

[illegible]

[illegible] [illegible] [illegible] [illegible]

[illegible]:

Hubei Miou Special Automobile Technology Co.,Ltd

Name:Lincy

Post: Sales Representative

Email:lincy@chinasonglin.cn

Tel:+8613597902165

QQ:2853937064

Website:www.mioutruck.com