

Product Details

□□□□□□□□□□□□□□

□□□□□□□□:	□□□□	□□□□□□□□□□□□:	4x2	□□□□□□:	Compactor
□□□□□□□□□□:	□□□□□□	□□□□□□□□□□□□□□□□:	Euro 3	□□□□□□□□:	3001 - 6000L
□□□□□□□□□□□□:	□□□□□	□□□□□□□□□□□□□□:	3856	□□□□:	6850x2320x2900

Product Display





Technical Parameter

項目		單位	參數	
底盤		/	DF5082ZYS3	
發動機		/	EQ1081TJ12D1	
外廓尺寸		mm	7000 × 2320 × 2900	
卸料高度		L	6000-8000	
軸荷	前軸	kg	6100	
	GVW		8750	
	前軸	kg	2500	
	後軸	kg	3800	
	F / R	kg	1835/1640	
	傾斜角度	°	11/20	
軸距		mm / 英寸	3856/88	
容積		m³ / 噸	90	
馬力		7.50-16	型號	CY4102
輪胎		4 × 2	數量	5 個
電壓		2	規格	24V

Our Company & Factory

工厂简介：

Miou 工厂位于 Shiyuan, 拥有先进的生产设备, 配备专业的 R & D, 提供完善的售后服务, 为客户提供优质的产品. 工厂与 Dongfeng Motor 和 Dongfeng Zhengmeng 建立了长期合作关系.

工厂内部环境：



工厂外部环境：



Verified Certificates



Package & Shipment

RO-RO 20'GP 40'GP
RO-RO
15



Contact us

!

:

:

Hubei Miou Special Purpose Vehicle Technology Co.,Ltd

Manager: Janice

Email:chinatruck@chinasonglin.cn

Skype:694604857@qq.com

Mob: +86-18772959567

Tel: 86-0719-8319942