

Product Details

- 1.Condition: □□□□
- 2.Fuel: □□□□□□
- 3.Drive: 4x2
- 4 □□□□□□□□□□□□: □□□□□□□□□□□□
- 5.Transmission: □□□□□□□□□□□□□□□□
- 6.Emission □□□□□□□□□□□□□□□□ 4
- 7.Max □□□□□□□□□□: 95km / □□□□□□□□
- 8.Brand: Dongfeng
- 9.Vehicle □□□: DFA5040CCYL20D5AC

Product Display





www.mioutruck.com



www.mioutruck.com

Technical Parameter

DFA5040CCYL20D5AC	Model	DFA5040CCYL20D5AC
	Configuration	4X2
	Wheelbase	3300mm
	Ground Clearance	4.33
	Dimensions (Length * Width * Height) * (mm)	5995 * 2090 * 3050mm
	Dimensions / Wheelbase (mm)	1586mm / 1530mm
	Max. Gross Weight	2.59Ton
	Max. Payload Capacity	1.49Ton
	Max. Trailer Weight	4.275Ton
	Max. Speed	95.0KM / Hour
D28D11-4DA	Engine Model	D28D11-4DA
	Cylinders	4
	Displacement	2.771L
	Power Output	85.0kw
	Max. Torque	116hp
	Dimensions (Length * Width * Height) * (mm)	3800 * 2000 * 400
	Capacity	3person
	Configuration	3person
6	Seating Capacity	6
	Configuration	1
	Wheelbase	7.00R16LT
	Configuration	6
1880KG	Max. Gross Weight	1880KG
	Max. Payload Capacity	2395KG
4.33	Ground Clearance	4.33
	Dimensions	6/6 + 5,8 / 9 + 5,9 / 10 + 8

Our Company & Factory

Address:

Miou Shiyuan, Dongfeng Motor, Dongfeng Zhengmeng

R & D, Dongfeng Motor, Dongfeng Zhengmeng

Contact:



□□□□□□□□□□□□□□□□:





Q: 如何查詢貨物價格及運費?

A: 請洽業務部

Q: 貨物裝箱標準 ISO?

A: 貨物裝箱標準 ISO 2170

Q: 貨物裝箱標準 ISO 2170?

A: 貨物裝箱標準 ISO 2170 15 呎櫃裝載量約 15 噸，20 呎櫃裝載量約 25 噸，30 呎櫃裝載量約 30 噸

Q: 貨物裝箱標準 ISO 2170?

A: 貨物裝箱標準 ISO 2170 RORO 裝載量約 15 噸，20 呎櫃裝載量約 25 噸，30 呎櫃裝載量約 30 噸，貨物裝箱標準 ISO 2170 裝載量約 15 噸，20 呎櫃裝載量約 25 噸，30 呎櫃裝載量約 30 噸

Q: 貨物裝箱標準 ISO 2170?

A: 貨物裝箱標準 ISO 2170 3000 呎

Q: 貨物裝箱標準 ISO 2170?

A: 貨物裝箱標準 ISO 2170 貨物裝箱標準 ISO 2170 ISO CCC BV 貨物裝箱標準 ISO 2170 貨物裝箱標準 ISO 2170

