

Product Details

- 1. Model: DFS5160TSML
- 2. model: ZKDPN46M02W
- 3. G.V.W (kg.): 16050
- 4. rated power (kW): 7900
- 5. curb height (mm): 7955
- 6. overall (mm): 7760,7825 × 2500 × 2845,2925
- 7. cargo capacity (mm): 4850 × 2300 × 600,800
- 8. wheel (mm): 3500 + 1250
- 9. chassis: DFS5160GLJ

Product Display





Technical Parameter

□□□□□ □□□□□□□□□□

□□□□□ □□□□

DFS5160TSML □□□□ □□□□□□□□

Model	ZKDPN46M02W
G.V.W (kg.)	16050
Maximum Payload Capacity (kg.)	7900
Minimum Payload Capacity (kg.)	7955
Dimensions (mm)	7760,7825 × 2500 × 2845,2925
Dimensions (mm)	4850 × 2300 × 600,800
F / R (mm)	1385 / 1625,1450 / 1625
F / R wheel (mm)	1916,1876 / 1876
Wheel (mm)	3500 + 1250
Number of Axles	3
Wheel Spacing	4020/6015/6015
Wheelbase / Wheelbase Ratio	35 / 30,38 / 30
Wheelbase Ratio (Wheelbase / Ratio)	95
Chassis Model	DFS5160GLJ
shassis Model	DF5160GLJ
Dimensions (mm)	7500,7565 × 2470 × 2740,2850
Wheelbase / Wheelbase Ratio	35 / 36,38 / 36
Minimum Payload Capacity	42655
Minimum Payload Capacity	desiel
Minimum Payload Capacity	GB17691-2005 IV, GB3847-2005
Wheel (mm)	2.5R20
Wheel (mm)	6

Our Company & Factory

Our Company & Factory:

Miou Shiyuan, Shiyuan, R & D, Dongfeng Motor, Dongfeng Zhengmeng

Our Company & Factory



□□□□□□□□□□



Verified Certificates



Package & Shipment

包装: 20'GP 40'GP
 RO-RO
 15



FAQ

