Product Details

□□□□□□□□□□□□□□□□□□:

□□□□: □□□□ □□□□□□□□□□□□□□□: □□□□□ □□□□□□□□□□□□□□□□□□□□□: 7490kg
□□□□□□□□□□□□□: □□□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□: □□□□□□ Dongfeng: 3800mm
□□□□□□□□□□□□□□□□□□□□□□□□: Euro 3 □□□□□□□□□□□□□: TB5070PB □□□□□□□□□□: 2

Product Display

Technical Parameter

□□□□□□□	Dongfeng 4 * 2 □□□□□□□□□□□□□□□□□		
□□□□□□□	TB5070PB		
□□□□□□□□□□□□□	EQ1070TJ9AD3		
□□□□□□□	□□□□□□□□ □□□□	□□□□□□□□□□	7420 × 2450 × 2620

□□□□□□□□□□□	□□□□□□□□□□□□□□□	□□□□□□□□□	7490
	□□□□□□□□□□□□□□□□		4045
	Suspension F / R	□□□□□□□□□□	1180/2440
	□□□□□□		3800
	□□□□□□□□□□		4 * 2
	□□□□□□□□□□□□□□□□□□		2
	Axle □□□□	□□□□□□□□□	2950/4540
	□□□□□□□□□□□□□□□□		9/11 + 7,8 / 10 + 7
	□□□□□□□□		8.25-16,7.50-16
	□□□□□□□□□□□□□□□□□		6
	□□□□□□□□□□□□□□□□□□□□□□□□□		3
□□□□□□□□□□□	□□□□□□□□□□□□□□ □□□		ISDe140 30
	□□□□□□□□□□□□□□□□□□□		□□□□□
	□□□□□□ / □□□□□□□□	□□. / □□□□□□□	4500/140
	□□□□□□□□□□□□□□□□	□□□□□□□□ / □□□□□□□□	95
	□□□□□□□□□□□□□□□□□□□□□□□□□ (TAS)		□□□□ 3
□□□□□□□□□	1.Max □□□□□□□□□□□□: 5 □□□		
	□□□□□□□□□□ 2.Flat (L * W): 5500 * 2450 (□□)		

Our Company & Factory

□□□□□□□□□□□ □:

Miou □□□□□□□ Shiyan, □□□□□□□□□□□, □□□ □□□□□□□ □□□□□□□□□□□□□□□□□□□□□□□□□□ R & amp; D, □□□ □□□□□□□ □□□□□□□□□□□□□□□□□□□ Dongfeng Motor □□□□□□□□□□□□□□□□□□□□□□□□□□□□ Dongfeng Zhengmeng □□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□ □□□□□□□ :

□□□□□□□□□□□□□□□□□□□□:

Verified Certificates

□□:
□□□□□□□□□□□□□□□□□□□ □□□□□□□: □□□□□□□ 7-10
□□□□□□□□□□□□□□ □□□□□□□□: 30% □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□ 70% □□□ TT □□□□□□□□□□□□□□□□□□□□ B / L
□□□□□□□□□□□: □□ 20'GP □□□□□ 40'GP
□□□□□□□□□□□□□□□□□□□ □□□ RO-RO
□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

Contact us

[illegible]:
[illegible] [illegible]
[illegible]
[illegible] [illegible] [illegible] [illegible] pls [illegible] [illegible].
[illegible] [illegible]
[illegible]:

Manager Sara

Skype: newst-sara
Tel: 86-0719-8319942
Mob.: 86-13872781686
E-mail: truck@chinasonglin.cn
Address: Cadillac Road No. 9,
Zhangwan District, Shiyan City, Hubei province

Hubei Miou Special Vehicle Technology Co., Ltd.