

Product Details

Model:

Configuration: 3 Speed(km/h) 90

Capacity: 24900 GW(kg): 24900

Engine: EQ1252GFJ

Product Display





Technical Parameter

配置	配置	配置
	配置	EQ1252GFJ
	配置	6 × 2, LHD/RHD
	配置	10.00-20
	配置	8+1(spare)
	配置	配置
	配置	Uniwafer 配置
	配置	配置 9 配置 1 配置
配置	配置	B190-33
	配置 Power(hp)	190
	Displacement(cc)/Power(kw)	5900/140
	配置	配置 3
配置	配置 (L * W * H/.)	11980 * 2490 * 38000
	配置 (L * W * H/.)	2294 * 8500 * 1000
	Wheelbase(mm)	2150 + 5050
	配置	3
	GVW(kg)	24900
	配置	12250
	配置	10/10/12 + 9
	配置 Angle(°)	34 ..
	配置/配置 trace(mm)	1940/1860
	配置/配置 suspension(mm)	1250/2720
	配置 speed(km/h)	90
	配置/配置 Load(kg)	6850/6850/11200
配置	配置	
配置	配置 capacity:6.3/8T/10T 配置	

Our Company & Factory

配置:
Miou 配置 R & D 配置
配置 Dongfeng Motor

Zhengmeng Co., Ltd.

:



:



