PRODUCT
Display

MiOU
湖北米欧特种汽车科技有限公司
Hubei Miou Special Vehicle Technology Co., Ltd.

TECHNICAL PARAMETERS

Dimension Parameters	overall dimension L×W×H(mm)	6910×2470×2455
	wheelbase（mm）	3950
	front/rear suspension(mm)	1810/1800
	approach angle/departure angle（°）	33/19
	Number of people allowed to carry	3
Mass Parameters	Curb weight (kg)	4100
	Gross combination weight(kg)	4100
	Maximum axle-load(kg)	front axle 2380 , rear axle 6930
	Rated power(kW/r/min)	114/2800
	Maximum torque(N·m/r/min)	353/1200~1600
	displacement（L）	5.88
	Maximum speed（km/h）	90
	Maximum slop of climb(%)	28
	Minimum ground clearance(mm)	260
	Minimum turning radius(m)	8
	Fuel consumption(100km)（L）	25.5

- Engine: Cummins brand, inline structures, six cylinders, turbochargered, inter-cooled diesel engine, 170Hp
- Gearbox: Mechanical type, five forward gears, a reverse
- Transfer case: Mechanical, two speeds.
- Drive Axle: Intergral cast axle housing; three pin-type front axle and constant velocity universal joint
- Main reducing gear: Mono-pole gear, hypoid gear
- Cab: long head, sing door, optional winch in front, with hook in the tail position
- Suspension:

  Front suspension: eyes leaf spring(front side), leaf spring (rear side), with telescopic shock absorber

  Rear suspension: Equalizing type suspension, leaf spring, with six lateral rod
- Tires: 9.00R20 tyre, 6 pcs with 1 spare tire
- Application: suitable for jungle, river beaches, Gobi etc off road conditions.

COMPANY
Information

Miou □□□□□□□□□□ Shiyan, Hubei □□□□□□□ China.Our □□□□□□ □□□□□□□□ R & D □□□□□□□□□□□□□□□□□□□□□ □□ □□□□□□ □□□□□□ Dongfeng Motor Group □□□□□□□□□□□□□□□□□□□□□□□ Dongfeng Zhengmeng □□□□□□□□□□□□□□□□□□□ Co. , Ltd.

中国国家强制性产品认证证书
中国质量认证中心
CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION
CHINA QUALITY CERTIFICATION CENTRE

FACTORY
Display

Partner

SHIPMENT

We can ship trucks by RO-RO or bulk vessel

For 90% of our shipment ,we will go by sea, to main continents such as Africa, middle east, south Asia ,south America,either by container or RO-RO or bulk vessel

For neighborhood countries of China, we can ship trucks by road or trail way.

WHY
Choose us

2.advanced science and technology & vehicle facilities

3.Product



Q: □□□□□□□□□□□□□□□□□□?

A: □□□□□□□□

Q: □□□□□□□□□□□□□□ ISO □□□□□□□□?

□□□: □□

Q: □□□□□□□□□□□□□□□□□□□□□?

□□□: □□□ 15 □□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□ 30 □□□□□□□□□□□□□

□□□: □□□□□□□□□□□□□□?

A: □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□ RORO □□□□ Bulk ship □□□□ flat bed container □□□□ open top container □□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□: □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□?

□□□: □□□□□□ 3000 □□□□□□

□□□: □□?

A: □□□ ISO CCC BV □□ □□

□□□: □□□?

□□□: □□

□□□: □□? □□□□□□□□□□□□□□ MOQ □□□□□□□□□□□□□□□□□□?

□□□: □□□□□□□□□□□□□ MOQ □□□□□□□ 1 □□□

Q: □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□?

□□□: □□□□ T / T □□□□□ L / C □□□□□□□□□

□□□: □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□?

A: □□□ □□□ □□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□,□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□!

□□□□□□□□□□:

□□□

□□□□□□□□□□□□□□□□□ □ □□□□□□□□□□□□□□□□□□□□□□□□□ □ □□□□□□□□□□□□□□□□□ □□□

[illegible]:

Milla Nong
TEl/Whatsapp : +8618772815090
Email : Chinatruck@chinasonglin.cn
Web:www.mioutruck.com
SKYPE : Milla Nong