Product Details

□□□□□□ (□□□□): 1 - 10t
□□□□□□□: 20kw
□□□□□□□□□□□ mondel:GLMP10L0
Wheelbase:2330(mm)

Product Display

Technical Parameter

□□□□□□□□□ □□□□	EQ5020ZZZACBEV
□□□□	4140×1680,1630,1710×1940,1990(mm)
□□□ □□□□□□□□	2500(Kg)
□□□□ □□□□□□□□	1620,1750(Kg)
□□□□□□□□□□□□ Angle(°)	35/33(°)
□□□□ □□□□□□□□	900/1600
□□□□ □□□□□□□□	2
□□□□□□□□ □□□ □□□□□□□□□□	6
□□□□□□□□□ □□□□□□□	1285
□□□□□□□□□ □□□□ (□□.)	750,620(Kg)
□□□□/□□□□ suspension(mm)	870/940(mm)
□□□□□□□□□□□	2330(mm)
□□□□□□□ □□□□□□□□□	80(km/h)
□□□□□□□□□□□□	3/5
□□□□□□□□□□ □□□□□□□□□□□□□□	5.50-13 8PR
□□□□□□□□□ □□□□□□□	1185
□□□□□□□□□□□□□	GLMP10L0
□□□□□□ □□□□	EQ1020TACEVJ1

Our Company & Factory

□□□□□□□□□□□ □:

Miou □□□□□□□□□□□□□□□□□□□□□□□□□□ □□□□□□□□ □□□□ □□□□□□□□□□□□□□□□□□□□□□□□□□□

R & D □□□□□□□□ □□□ □□

□□□ Dongfeng Motor □□□□□□□□ □□□□□□□□□□□□□□□□□□□□□□□□ Zhengmeng □□□□□□□□□□□□□□□□□□□□□□□□□
Co., ltd

□□□□□□□□□□□□□□:

□□□□□□□□□□□□□□:

Verified Certificates

Package & Shipment

□□□□□□□□□□□□□□□□□□□□□□: □□□□□□□□□ 15 □□□□□□□□□□□□□□□□□□□□□□

[illegible]: [illegible] 20' GP [illegible] 40' GP [illegible] ro ro [illegible]

[illegible]:[illegible]

[illegible] A:One

[illegible] ISO [illegible]

A:Yes [illegible]

[illegible]:[illegible]

[illegible]:[illegible] 15 [illegible] 30 [illegible]

[illegible]:[illegible]

A: [illegible] RORO [illegible] Pls [illegible]

[illegible]:[illegible]

A: [illegible] 3000 [illegible]

[illegible]:[illegible]

A: [illegible] ISO CCC BV [illegible]

[illegible] scrutinizing

[illegible]:[illegible]

A: [illegible]

[illegible]:[illegible]

A:Yes [illegible] 1 [illegible]

[illegible]:[illegible]

A: [illegible] T/T [illegible] l/c [illegible]

Q: [illegible]

A: [illegible]

[illegible]

[illegible]:

[illegible]

[illegible]: