

Product Details

Product Name: 8065

Product Name:	8065	Model:	25	Configuration:	applicable palce
Product Code:	12	Manufacturer:	Dongfeng	Capacity:	10000
		Configuration:	(Optional)		

Product Display



www.mioutruck.com

Technical Parameter

Basic Parameters	
Maximum Gross Weight (kg)	27000
Maximum Gross Weight, total (kg)	11700
Maximum Payload (kg)	15000
Drive Type	6X4
Maximum Speed (km/h) / Gear	90
Approach / Dep. Angle (°)	11/20
Dimensions	
Overall Dimensions (L * W * H)	11900 × 2500 × 3700
Wheelbase (mm)	5850 + 1300mm
Track Width (mm)	300 × 80 × [8 + 4]
Other Parameters	

1. 性能参数 2. 主要配置 3. 主要附件	额定功率 & 额定转速 (kW / rpm)	155KW / 2500rpm
	最大输出功率 (kW / rpm)	700N.m / 1500rpm
	排量 (L)	5900
	燃料系统	Diesel
	冷却系统	风冷
整机重量 (kg)		3500
主要配置		
发动机型号 / 功率	XCMG-SQ14ZK4Q	
额定转速 (rpm)	T.M	35
额定功率 (kW)	14000	14000
额定转速 (rpm)	12	12
额定功率 (kW)	360	360
额定转速 (rpm)	1240	1240
recommended 额定功率	28	28
额定功率 (Mpa)	Mpa	31.5
额定转速 (rpm)	63	63
额定功率 (Mpa)	4468	4468
额定转速 (rpm)	L	160


Our Company & Factory

1. 性能参数
 2. 主要配置
 3. 主要附件
 4. 主要附件
 5. 主要附件
 6. 主要附件
 7. 主要附件
 8. 主要附件
 9. 主要附件
 10. 主要附件
 11. 主要附件
 12. 主要附件
 13. 主要附件
 14. 主要附件
 15. 主要附件
 16. 主要附件
 17. 主要附件
 18. 主要附件
 19. 主要附件
 20. 主要附件
 21. 主要附件
 22. 主要附件
 23. 主要附件
 24. 主要附件
 25. 主要附件
 26. 主要附件
 27. 主要附件
 28. 主要附件
 29. 主要附件
 30. 主要附件
 31. 主要附件
 32. 主要附件
 33. 主要附件
 34. 主要附件
 35. 主要附件
 36. 主要附件
 37. 主要附件
 38. 主要附件
 39. 主要附件
 40. 主要附件
 41. 主要附件
 42. 主要附件
 43. 主要附件
 44. 主要附件
 45. 主要附件
 46. 主要附件
 47. 主要附件
 48. 主要附件
 49. 主要附件
 50. 主要附件
 51. 主要附件
 52. 主要附件
 53. 主要附件
 54. 主要附件
 55. 主要附件
 56. 主要附件
 57. 主要附件
 58. 主要附件
 59. 主要附件
 60. 主要附件
 61. 主要附件
 62. 主要附件
 63. 主要附件
 64. 主要附件
 65. 主要附件
 66. 主要附件
 67. 主要附件
 68. 主要附件
 69. 主要附件
 70. 主要附件
 71. 主要附件
 72. 主要附件
 73. 主要附件
 74. 主要附件
 75. 主要附件
 76. 主要附件
 77. 主要附件
 78. 主要附件
 79. 主要附件
 80. 主要附件
 81. 主要附件
 82. 主要附件
 83. 主要附件
 84. 主要附件
 85. 主要附件
 86. 主要附件
 87. 主要附件
 88. 主要附件
 89. 主要附件
 90. 主要附件
 91. 主要附件
 92. 主要附件
 93. 主要附件
 94. 主要附件
 95. 主要附件
 96. 主要附件
 97. 主要附件
 98. 主要附件
 99. 主要附件
 100. 主要附件

1. 性能参数



□□□□□□□□□□□□□□□□:



Verified Certificates



Package & Shipment

包装: 20'GP 40'GP
RO-RO
数量: 15 台

