

Product Details

Product Name: [Placeholder]

Model: [Placeholder] Manufacturer: Hongyan Part Number: CQ3255HTG404

Dimensions (mm): 8720 * 2500 * 3460 Capacity: 25000 Standards: ISO, BV, CCC

Weight: 4000 + 1400mm Material: [Placeholder] Thickness: 80 mm / [Placeholder] Certificate: WP10.336E40





www.mioutruck.com



www.mioutruck.com

Technical Parameter

基本参数	型号	CQ3255HTG404
	整机尺寸 / 轴距 / 轴距 (mm)	8720x2500x3460
	整机重量 (不含附件)	25000
	轴距 (mm)	12090
	轴距 (mm)	12780
	轴距 (mm)	轴距
	轴距 (mm) / 轴距	80
技术参数	品牌	Hongyan
	型号	CQ3255HTG40-504
	轴距	6***4 LHD (RHD)
	轴距	3
	F / R 轴距 (mm)	7000/18000
	轴距 (mm)	4000 + 1400
	轴距 (mm)	2006
	轴距 (mm)	1850/1850
	轴距 / 轴距 (°)	25/20
	F / R 轴距 (mm)	1435/1885
	轴距	10
	轴距	11.00-20 18PR
	轴距	9/12
	轴距	轴距
	性能参数	型号
功率 (HP)		350
轴距 / 轴距		8709/257
轴距		Euro4

Our Company & Factory

公司简介:

Miou 公司, 位于中国, 专业从事 R & amp; D, 生产和销售
 Dongfeng Motor 公司, 位于中国, 专业从事 R & amp; D, 生产和销售
 Dongfeng Zhengmeng 公司, 位于中国, 专业从事 R & amp; D, 生产和销售

联系我们:



□□□□□□□□□□□□□□□□□□□□□□:



Verified Certificates



Package & Shipment

包装形式: 20'GP 40'GP RO-RO 15



Q:

A:

Q: ISO?

A:

Q:

A: 15
 30

Q:

A: RORO
,