## Product Details

**□□□□□□□□□□□□□□□□□□:**

□□□□: □□□□ □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□: □□□ □□□□□□□□□□□□□□□□□□:JX493ZLQ3
□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□: □□□□□□□□□□□□: 95 □□□□□□□□□□□□□□□□□□: □□□□ 2
□□□□□□□: 4 x2 □□□□□□□□□□□: Jiangling □□□□: □□□□□□□□□□□□ 5

## Product Display

## Technical Parameter

| | | | | |
|---|---|---|---|---|
| [illegible] | | JX1060TG23 | | |
| [illegible] | | [illegible] | 5960 × 1920 × 2420 | |
| [illegible] | [illegible] | L | 3500-4000 | |
| | GVW | [illegible]. | Appro 5790 | |
| | [illegible] | | Appro 2500 | |
| | [illegible] | | Appro 3160 | |
| | [illegible] | / | 3360 | |
| | F / R [illegible] | | 1015/1585 | |
| | [illegible] | ° | 27 / 18.5 | |
| [illegible] / hp | | [illegible]. / [illegible] | 2771 / 85,75 | |
| [illegible] | | [illegible]. / h | 100 | |
| [illegible] | | 7.00R16LT | [illegible] | JX493ZLQ3 |
| [illegible] | | 4 × 2 | [illegible] | [illegible] 5 [illegible] |
| [illegible] | | 2 | [illegible] | 24V |
| [illegible] | | [illegible] | [illegible] | 3 |
| [illegible] | | [illegible] ([illegible] = 1400R / [illegible] 800R / M [illegible] 6 M, 500mmHg [illegible]) | | |
| | | [illegible] | | |
| [illegible] | | [illegible] | | |

**[illegible] [illegible]:**

Miou [illegible] R & D [illegible] Dongfeng Motor [illegible] Zhengmeng [illegible] Co., ltd

**[illegible]:**

□□□□□□□□□□□□□□□□:

## Verified Certificates

## Package & Shipment

**□□□□□□□□□□□□□□□□□□□□□□□:**

□□□□□□ □□□□□□□□ □□□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□ 20' GP □□□□ 40' GP □□□□□□□□□ □□□□□□□□□□□□□□□□□□ □□□□□□□□ ro ro carriersor □□□□□□□□□□ □□□□ □□□□□□□□□□□□□□□□□□□□□□□□

**□□□□□□□□□□□□□□□□□□□□□□□:** 15 □□□

## Contact Us

MIOU TRUCK

Hubei Miou Special Automobile Technology Co., Ltd

Hubei Miou Special Automobile Technology Co.,Ltd

E-mail: truck@chinasonglin.cn

0086-13872781686

0086-13872781686

0086-0719-8319942

newst-sara

Address: No.9 Cadillac Street,Zhangwan District,Shiyan,Hubei

Website: www.mioutruck.com