





www.mioutruck.com



www.mioutruck.com

### Technical Parameter

□□□□□□□□□□

□□ DFL5140XXYB4

Technical Specifications		
G. V. W. (mm)		14490
Total weight (mm)		7340
Weight (mm)		6865
Configuration		4 X 2
Capacity (mm)		98 mm / mm
Capacity (KG)		4800
Weight (mm)		9690
Configuration		8 / 10 + 8
(mm) / Dep.: (°)		8/20
Dimensions		
Dimension(mm) (L * W * H)		9995 X 2500 X 3960
Weight	Dimension(L*W*H)	7600 X 2300 X 2600
base(mm)		5600
trace(mm)		1880, 1800
Engine Specifications		
Configuration	Configuration	3
	Configuration	DONGFENG CUMMINS ISDa210 40
Configuration	Configuration	210hp
	Configuration	155KW/2500 RPM
	Configuration Max.output	800N.m
	Displacement(ml)	6700
	Configuration	Configuration
Configuration	Configuration	DF6S900
Configuration		Configuration 4

## Our Company & Factory

**Address:**  
 Miou Technology Co., Ltd. R & D Center, Dongfeng Motor  
 Zhengmeng Co., Ltd

**Contact:**







## FAQ

Q: 1. How long is the lead time for the container?

A: One month.

Q: 2. What is the ISO standard for the container?

A: Yes, we have ISO standard containers.

Q: 3. How many containers can be loaded on the ship?

A: The ship can load up to 15 containers, and the truck can load up to 30 containers.

Q: 4. How many containers can be loaded on the truck?

A: We have RORO containers, and we can load up to 15 containers on the truck. Pls contact us for more details.

Q: 5. How many containers can be loaded on the truck?

A: We have 3000 containers.

Q: 6. How many containers can be loaded on the truck?

A: We have workshop, ISO CCC BV, and scrutinizing containers.

