Product Details

□□□□□□□□ □□□□□□□□
□□□

□□□□ □□□ □□□□□ □□□□□□□□□□□□□□□□:	□□□□□□ □□□□□ □□□□□□□□□□□	□□□□□□□ □□□□:	Dongfeng	□□□ □□□□□□□:	XZL5121ZYS3
□□□□ (mm):	7680 * 2470 * 3050	□□□□□□□□□:	12450	□□□□□□□:	ISO, BV, CCC
□□□ □□□:	3950	□□□□□□□ □□□□□□□□ □□□□□□□ □□□□□□□□□□:	85km / □□□□ □□□	□□□□□□□□ □□□□ □□□ □□□:	YC6J160-31

Product Display

Technical Parameter

[illegible]	[illegible]	XZL5121ZYS3
	[illegible] [illegible] [illegible] / [illegible] / [illegible] (mm)	7680 * 2470 * 3050
	[illegible] [illegible] [illegible] ([illegible])	12450
	[illegible] [illegible] ([illegible])	8255
	[illegible] [illegible] ([illegible].)	4000
	[illegible] [illegible]	[illegible]
	[illegible] [illegible] ([illegible]. / [illegible])	85
[illegible]	[illegible]	Dongfeng
	[illegible]	EQ1121GKJ
	[illegible] [illegible]	4 * 2
	[illegible] [illegible] [illegible]	2
	[illegible] [illegible] [illegible] (mm)	1900
	[illegible] [illegible] [illegible] (mm)	1800
	[illegible] / [illegible] [illegible](°)	30/14
	F / R [illegible] (mm)	1250/2480
	[illegible] [illegible] [illegible]	6
	[illegible] [illegible]	20,10.00R20
	[illegible] [illegible] [illegible]	8/10 + 8
[illegible]	[illegible]	[illegible] [illegible] [illegible]
	[illegible]	YC6J160-31
	[illegible] [illegible] (HP)	160
	[illegible] ([illegible]) / [illegible] ([illegible])	6494/118
	[illegible]	Euro4

[illegible] [illegible]:

Miou [illegible] Shiyan, [illegible], [illegible] [illegible] [illegible] R & amp; D, [illegible] [illegible] [illegible] [illegible] [illegible] Dongfeng Motor [illegible] Dongfeng Zhengmeng [illegible] [illegible]

[illegible] [illegible] :

□□□□□□□□□□□□□□□□□□□:

Verified Certificates

□□□□□□□□: □□ 20'GP □□□□ 40'GP □□□□□□□□□ □□□ RO-RO □□□□□□□□□□□□□□□□□□□□□□□
□□□□□□□□□□□□: 15 □□□

FAQ

Q: [illegible]

A: [illegible]

Q: [illegible] ISO?

A: [illegible]

Q: [illegible]?

A: [illegible] 15 [illegible] 30 [illegible]

Q: [illegible]?

A: [illegible] RORO [illegible], [illegible]

Q: [illegible]?

A: [illegible] 3000 [illegible]

Contact us

[illegible]!

[illegible]:

[illegible]

[illegible]:

Hubei Miou Special Purpose Vehicle
Technology Co.,Ltd
Manager: Janice
Email:chinatruck@chinasonglin.cn
Skype:694604857@qq.com
Mob: +86-18772959567
Tel: 86-0719-8319942