

## Product Details

品牌: Dongfeng 型号: 东风 4x2 容量: 15m<sup>3</sup> 排放标准: Euro 4

## Product Display





[www.mioutruck.com](http://www.mioutruck.com)



[www.mioutruck.com](http://www.mioutruck.com)

### Technical Parameter

□□□□□□□□□□□□			
□□□□□□	SCS5160GPSD □□□□□□□□□□		
G.V.W.(□□□□□□□□)	16000	□□□□□□□□	4 * 2

轴距(mm)	8905	轴距(mm)	8500 × 2480 × 3180
轴间距(mm)	6900	轴间距(mm)	3
轴数	2	轴间距(mm)	4700
轴间距(mm)	6000/10000	Max.speed(轴间距 / 轴数)	90
底盘配置			
底盘型号	DFL1160BX5	底盘品牌	Dongfeng
轴距(mm)		轴距(mm)	8290 × 2370 × 2760
轴数	9.00R20	轴数	6
轴间距	8/10 + 8	F / R 轴距(mm)	1880/ 1860
轴间距	轴数 4	轴间距(mm)	6 轴间距
轴间距	轴间距	轴间距 (mm.)	轴间距(轴间距)
ISB180 40	Cummins Dongfeng	5900	132
配置			
轴间距(M3)	15	轴间距	Q235轴间距
轴间距(轴间距)	≥14	轴间距(m)	≥28

## Our Company & Factory

公司简介：

Miou 位于 Shiyuan, 拥有完善的 R & D, 拥有完善的 Dongfeng Motor 和 Dongfeng Zhengmeng 生产线。

联系我们：



联系我们：



## Verified Certificates



## Package & Shipment

Package: 20'GP or 40'GP  
Shipment: RO-RO

Lead time: 15 days



## FAQ

Q: [Redacted]

A: [Redacted]

Q: ISO?

A: [Redacted]

Q: [Redacted]

A: [Redacted]  
15 days [Redacted] 30 days [Redacted]

Q: [Redacted]

A: [Redacted] RORO

.....  
.....

**Q: .....**

A: ..... 3000 .....

**Q: .....**

A: ..... workshop ..... ISO CCC BV  
.....  
.....

**Q: .....**

A:  
.....  
.....

**Q: .....? ..... MOQ .....**

A: ..... MOQ ..... 1 .....

**Q: .....**

A: ..... T / T ..... L / C .....

**Q: .....**

A: ..... , ..... , ..... ,  
..... , ..... , ..... , ..... , ..... , .....  
.....



.....!

.....:

.....  
.....

