

Product Details

总质量:

额定质量:

最大扭矩: 600N.m

轴数: 2

额定载重: 15000 kg

额定功率: 5T / 6.3T

轴距: 3

总质量: 15900kg

轴数: 4 x 2

轴距: 3,800mm

Product Display





Technical Parameter

4 x 2			
(kg)	15900		4 x 2
(kg)	7,500	(kg)	9000 x 2490 x 3750
(kg)	8,105		5600 x 2294 x 550
	3	(mm)	1250/2650
(°)	32/15	(mm)	3,800
	2		80
(Kg)	5950/9950		Euro3
	SQ85K3Q SQ6.35K2Q		""
(kg)	8000 6300	(m)	13.5,11
(m)	11.5 9		2
	EQ5160GKJ1		
	7950 8310 x 2480 x 2810		6
(°)	32/22		9.0020,9.00R20,10.0020,10.00R20
	9 / 10 + 8	(mm)	1940
		(mm)	1860

Our Company & Factory

:

:



□□□□:



Verified Certificates

1. 20' GP 40' GP
 2. 15'



Contact us

□ !

11

[illegible][illegible]

Manager Sara

Skype: newst-sara

Tel: 86-0719-8319942

Mob.: 86-13872781686

E-mail: truck@chinasonglin.cn

**Address: Cadillac Road No. 9,
Zhangwan District, Shiyan City, Hubei province**

Hubei Miou Special Vehicle Technology Co., Ltd.

