



Technical Parameter

参数	主要参数		参数	DFL4181A5	
载重 (kg)	总重	50000kg	轴距 (mm)	5980×2500×3030,3600	
	牵引	7000kg	轴数	50 "(2×5 轴)	
	半挂	18000kg	轴距 (mm)	3400	
排量	排量/功率	ISLE34030/340HP	油箱 (L)	8.9L	
	排放标准	国四 欧四	冷却系统	风冷	
尺寸	轴距 (mm)	98	轴距 (mm)	轴距	2027
	轴距	ISLE34030		轴距	1820
	轴距 (mm)	5000	轴距	f 轴距 (mm)	1500
	轴距 (mm)	13000	轴距 (mm)	轴距 (mm)	1080
	轴距	4 * 2	轴距 (°)	轴距	18
	轴距	轴2		轴距	32
变速箱	8 挡 gear,1 副轴		轮胎	11.00R20	
制动	气制动		制动	气制动	
其他	气制动, 气制动, 气, 气 CD 气制动, 气. 气, 气 气, 气				

Package & Shipment

□□□□□□:

□, □□□□, □□□□□ 20 ' gp □ 40 ' gp, □□□□□□□□ carriers or ro □□□□□□□□

□□□□: 15□



Contact Us

MIOU TRUCK

Hubei Miou Special Automobile Technology Co., Ltd

CONTACT



Hubei Miou Special Automobile Technology Co., Ltd



E-mail: truck@chinasonglin.cn



0086-13872781686



0086-13872781686



0086-0719-8319942



newst-sara

Address: No.9 Cadillac Street,Zhangwan District,Shiyan,Hubei

Website: www.mioutruck.com