### Product Details

number:4 | | Model:SQ16SA3 | Weight:31000kg

# Product Display







## Technical Parameter

(mm)	12000×2490×3850			gv W (□□	)	31000			
	1410			000 (00)	1670				
00000	YC6A26C26033					7255/8300			
	4			000 (00)		6500/6500/18000			
□□□ (mm)	1860/1860			□□ □□ (mn	า)	1980/1980			
0000	10.00-20,10.00R20,11.00-20,11.00R20			(mm)		2100 + 4250 +			
000000									
00000			SQ16SA3 16000						
00000 (00) 00000 (m)			376000 n ∏						
				nn nnnn (°)	27 0000 II <u> </u>	±360			
		4		00 00 r/00		2			
	00 00000 (0/0)	6.8/35	0000	0 00		h []			
	00 0000 (°/0)	70/22		□□ (m)		2.2 ~ 7[]2			
	(m)	15	00 00	□□ mpa)		24			
	[] [] (m)	4.5 ~ 15	0 00 (00)	(L) 180 4200					
	<u> </u>	00000 (m) 17		4200					
		22000 🔲 🖂		1200 000					

# Our Company & Factory

#### 



**\_\_\_\_:** 









#### Verified Certificates













## Package & Shipment

00, 0000, 000000 20 ' GP 0 40 ' GP, 0000000 carriersor ro

|||||||**: 15**||



## **Contact Us**







Hubei Miou Special Automobile Technology Co., Ltd



E-mail: truck@chinasonglin.cn



0086-13872781686



0086-13872781686



0086-0719-8319942



newst-sara

Address: No.9 Cadillac Street, Zhangwan District, Shiyan, Hubei

Website: www.mioutruck.com