

Product Details

Model: 3

Capacity: 3

Configuration: 6x4

Speed: 85km/h

Configuration: 6x4

Type: 6x4 (Mainland)

Product Display





Technical Parameter

吊钩 吊钩			
吊钩	DLQ5252JSQ	吊钩	11945×2500×3850 (mm)
吊钩	EQ1258KB3GJ1	吊钩 吊钩	8500×2294×550 (mm)
吊钩	25000 (kg)	吊钩 /吊钩	32/12 (°)
吊钩	12000 (kg)	F/R 吊钩	1245/3500 (mm)
吊钩	12805 (kg)	吊钩	85 (mm/mm)
吊钩	B220 30		
吊钩	5900 (mm)	吊钩	162 kw)
吊钩	吊钩 吊钩 Co., Ltd		
吊钩	G3847-2005,GB17691-2005 EURO3		
吊钩	3	吊钩 吊钩	1940 (mm)
吊钩	5370 + 1300 (mm)	吊钩 吊钩	1860/1860 (mm)
吊钩	10	吊钩 吊钩	10.00-20
吊钩	吊钩	吊钩 吊钩	吊钩/8

□□□□□□:

□□, □□□□, □□□□□□□□ 20 ' GP □ 40 ' GP, □□□□□□□□ carriers or ro □□□□□□□□

□□□□: 15□



Contact Us

MIOU TRUCK

Hubei Miou Special Automobile Technology Co., Ltd

CONTACT



Hubei Miou Special Automobile Technology Co., Ltd



E-mail: truck@chinasonglin.cn



0086-13872781686



0086-13872781686



0086-0719-8319942



newst-sara

Address: No.9 Cadillac Street,Zhangwan District,Shiyan,Hubei

Website: www.mioutruck.com