Product Details

1.□□□□□□□□
2.□□□□□
3.□□□□□□5
4.□□□□□□□
5□□□□□□□□□□□□□□□
6.□□□□□4*2
7.□□□JDF5061JGKJAC4

Product Display

Technical Parameter

□□ □□			
□□□□	JDF5061JGKJAC4		
□□□□Kg□	6200	□□□	5
□□□□□KG□	5875	□□□□	4*2
□□□□□□□□	5	□□/□□□□□□	1105/2065
□□□	HFC4DA1-2C	□□□mm□	3360
□□	2	□□	2771ml
□□□□			
□□□□	GB17691-2005	□□□□	□□□□□□□□
□□	□□	□□□	6
□□□mm□	7670×1990×2995	□□□□	7.00R16 14PR,7.00-16 14PR
□□□□	7/4+5,8/4+5	□□□□mm□	1425
□□□□	□□□	□□□□	□5
□□□□□□		16m	
□□□□□□		8m	
□□□□		95(km/h)	
□□□□□□		88	
□□□□□□□		1440	

Our Company & Factory

DETAILS

Verified Certificates

Package & Shipment

[illegible] 15[illegible]

[illegible] [illegible]20'GP[illegible]40'GP[illegible]

[illegible]

[illegible]

[illegible]ISO[illegible]

[illegible]

[illegible]

[illegible]15[illegible]30[illegible]

[illegible]

[illegible]

[illegible]

[illegible]3000[illegible]

[illegible]

[illegible]ISO CCC[illegible]BV[illegible]

[illegible]

[illegible]

[illegible]

[illegible]1[illegible]

[illegible]

[illegible]T / T[illegible]L / C[illegible]

[illegible]

[illegible]