

Product Details

Model:

Model: 6 x 4

Model: 6 x 4

Model: 6 x 4

Engine: Euro3

Engine: 3

Engine: 3

Capacity: 25000KG

Capacity: 15870 KG

Capacity: 90 KM

Product Display





Technical Parameter

5 参数			
轴数	轴数	轴间距	6 × 4
自重	25000 KG	额定载重	9000 KG
总质量	15870 KG	最大牵引质量	10000 KG
轴距	3	轴数	3
轴间距	5825 + 1350 mm	F/R 轴间距	7000/18000 KG
轴数	12	轴数	10
轴间距	11.00-20	轴间距	16/14 °
轴间距	1830/1830m	轴间距	11980x2498x3960mm
轴间距	90 KM	轴间距	7500x2380x500mm
轴间距	2	轴间距	ZZ1257N5847C
参数			
轴数	WD615.96C		
轴数	276kw/375HP		
轴数	1500N.m		
轴数	9726		
轴数	6 × 4 轴间距 轴间距 EGR		

参数 名称	
型号	SQ5ZK2Q
最大重量	10.5t.m
最大容量	5000 kg
最大功率 电机	18kw
最大速度	25 m/s
最大压力	28MPa
容量	90 L
温度	(360) °C

Our Company & Factory

我们是一家专业从事各种工业设备研发、生产、销售、服务于一体的企业。我们的产品广泛应用于各种工业领域，如化工、医药、食品、冶金等。我们的产品具有结构紧凑、操作简便、维护方便等特点，深受广大客户的欢迎。

我们的工厂



我们的工厂



Verified Certificates



Package & Shipment

20' GP 40' GP

15



Contact us

:
20' GP 40' GP
15

Christina (Sales Manager)

Skype : 494397183@qq.com

Tel: +86-0719-8319942

Mobile: +86-15107178396

Website: www.mioutruck.com

