Product Details

□□□□□□□□□
□□□□□
□□□□kg□□30820KGS
□□□DFL5330XFA3
□□□mm□□4350 + 1300,4600 + 1350

Product Display

Technical Parameter

□□□□□□×□×□□□mm□	10180×2485×3680
□□□□□□(□×□×□):	3460×2400×1500
□□□□□□□□□□□□	2.655
□□□□	DFL5330XFA3
□□□□	□3
□□□□□	ISLe340 30
□□□(Kg)	30820
□□(mm)	4350+1300,4600+1350
□□□□	10.00R20
□□/□□□mm□	1460/2820
□□□□□(□□□)	15.105
□□□□	12.45
□□□□□□(□×□×□)□mm□	738×2400×1500
□□□□	□□
□□(Kw)	250
□□	8900
□□□□(Kg)	14920
□□	3
□□□	10
□□□□□km/h□	90

Our Company & Factory

[illegible]

[illegible]

[illegible]

[illegible]

Verified Certificates

Package & Shipment

[illegible] 15[illegible]

[illegible] [illegible]20'GP[illegible]40'GP[illegible]

[illegible]

[illegible]

[illegible]ISO[illegible]

[illegible]

[illegible]

[illegible]15[illegible]30[illegible]

[illegible]

[illegible]

[illegible]

[illegible]3000[illegible]

[illegible]

[illegible]ISO CCC[illegible]BV[illegible]

[illegible]

[illegible]

[illegible]

[illegible]1[illegible]

[illegible]

[illegible]T / T[illegible]L / C[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]