

Product Details

□□□□□□:

□□: □ □□□: □□□□□□
□□□□: □□ Horsepower:95
□□ Wheel:4x2 □□□□: □□

□□□□:JX493ZLQ3
□□□□: □□2
□□: 5□□□

Product Display





Technical Parameter

规格		JX1060TG23		
尺寸	mm	5960 x 1920 x 2420		
配置	容量	kg	3500-4000	
	gvw		5790	
	重量	kg	2500	
	净重		3160	
	功率		3360	
	F/R	/	1015/1585	
	速度	°	27/ 18°5	
功率/hp	kw	2771 /8575		
功率	kw	100		
容量	7.00R16LT	配置	JX493ZLQ3	
配置	4 x 2	配置	50 配置	
配置	2	配置	24V	
配置	配置	配置	3	
配置	配置 (配置 = 1400R/配置, 配置 配置 800R/配置, 配置;6M配置500mmHg配置)			
配置	配置			
配置	配置			

Our Company & Factory

地址: 配置配置配置配置. 配置配置配置 配置 & 配置, 配置配置配置配置配置配置配置配置配置配置配置配置, 配置配置 Zhengmeng 配置 Co.配置Ltd. 配置配置

配置:



□□□□:



Verified Certificates



Package & Shipment

□□□□□:

□□, □□□□, □□□□□□□□ 20' GP □ 40' GP, □□□□□□□□ carriers or ro □□□□□□□□

□□□□: 15□



Contact Us

MIOU TRUCK

Hubei Miou Special Automobile Technology Co., Ltd



Hubei Miou Special Automobile Technology Co.,Ltd



E-mail: truck@chinasonglin.cn



0086-13872781686



0086-13872781686



0086-0719-8319942



newst-sara

Address: No.9 Cadillac Street,Zhangwan District,Shiyan,Hubei

Website: www.mioutruck.com

