PRODUCT Display





Dimension Parameters	overall dimension L×W×H(mm)	8100×2500×3020
	wheelbase (mm)	4500
	front/rear suspension(mm)	1350/2250
	approach angle/departure angle (°)	35/27
	Number of people allowed to carry	2+3
Mass Parameters	Curb weight (kg)	6100
	Gross combination weight(kg)	17000
	Maximum axle-load(kg)	front axle 7000 , rear axle 10000
	Rated power(kW/r/min)	155/2500
	Maximum torque(N·m/r/min)	700/1400~1600
	displacement (L)	5.9
	Maximum speed (km/h)	90
	Maximum slop of climb(%)	60
	Vehicle Slop stability (%)	40
	Minimum ground clearance(mm)	355(bottom of bridge shell)
	Minimum turning radius(m)	8
	maximum surmountable obstacle-height(mm)	600
	Maximum surmountable ditch width(mm)	600
	maximum fording depth(mm)	800
	Fuel consumption(100km) (L)	26
	fuel tank capacity (L)	220

COMPANY Information





















FACTORY Display





SHIPMENT

We can ship trucks by RO-RO or bulk vessel

For 90% of our shipment ,we will go by sea, to main continents such as Africa, middle east, south Asia ,south America, either by container or RO-RO or bulk vessel

For neighborhood countries of China, we can ship trucks by road or trail way.





2.advanced science and technology & vehicle facilities



3.Product



PAYMENT





With us you money is safe, Usually we accept T/T or L/C, sometimes O/A for old customers On T/T Term --30% deposit is required, and 70% balance shall be settled before shipment or against the copy of original B/L.

On L/C Term --100% irrevocable L/C without "soft clauses" can be accepted .30% T/T deposit is required ,70% balance by L/C at sight, or 70% usance L/C can be accepted for old customers.

On O/A Term -- only for customers who has cooperated with us for over 8 years.

FAQ

ПППП

00000000000000000000000000000000000000
CONTACT US

Milla Nong

TEI/Whatsapp: +8618772815090

Email: Chinatruck@chinasonglin.cn

Web:www.mioutruck.com

SKYPE : Milla Nong

