Product Details

□□(□□): 4500 □□2 □□□ 3
□□□□□□□□ □□□6

Product Display

Technical Parameter

□□□□			
□□	□□□□□		
□□□(□□)	16000	□□□□ □□□□	9305
□□□□ □□□)	6500	□□	8400,8600×2500×3700,3300
□□	3	□□□□	□4
□□	2	□□(□□)	4500,3650,5100,3800,4200,4700,3950
□□(Kg)	6000/10000	□□□□(□□/□□)	90
□□□□			
□□	EQ1160GD4DJ	□□	□□

□□□□□□	8400,8500,7080,7680□8180□ 7050□7230 x 2480 x 2810□2860	□□	6
□□□□	□□	□□□□	10.00-20,9.00-20 16PR□9.00R20 16PR□10.00R20 16PR
□□□	9 / 12 + 10□8 / 10 + 7□8 / 10 + 8	□□□□(mm)	1940,1900,1810,1933□ 1964/1860,1800,1800
□□□	□□	□□□□□□	□□□□□)
ISDe180 40 YC4D140-41 ISB170 40 ISB190 40 YC6J180-46	□□□□□ □□ □□□□□ □□□□□ □□	4500 4200 5900 5900 6494	132 103 125 140 132

Our Company & Factory

□□□

□□□ □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□

□□□□

Verified Certificates

Package & Shipment

□□: □□□□□□□□□□□□□□ 20' GP □ 40' GP□□□□□□□□□□□□□□□□□□□□□□□

□□□□: 15 □

FAQ

□□□□□□□□□□

□□□□

□□□□□ISO□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□15□□□□□□□□□□□□□□□□□30□□□□□□□□

□□□□□□□

□□

□□□□□□□□□□□□□□□

□□□3000□

□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□ISO CCC□BV□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

[illegible]

[illegible]1[illegible]

[illegible]

[illegible]T / T[illegible]L / C[illegible]

[illegible]

[illegible]

Contact us

[illegible]!

[illegible]:

[illegible]

[illegible]

Manager Sara
Skype: newst-sara
Tel: 86-0719-8319942
Mob.: 86-13872781686
E-mail: truck@chinasonglin.cn
Address: No.9 Cadillac Street
Zhangwan District, Shiyan City, Hubei province
Hubei Miou Special Automobile Technology Co.,Ltd