Product Details

□□□□□ Euro4
□□□□□ □
□□□ 9 x2□ 5 x 3.5 □
□□□□□ 9.00R20
□□ No.s:6

Product Display

Technical Parameter

□□□	ISB180 40
□□	5.9L
□□□□□□	132kW
□□□□	180□□
□□□□	□□
□□□□	DFL1160BX5
□□□□	8/10+8
□/□□□	1880/1860mm
□□□	6□
□□□□	9.00R20
□□□□	4X2
□□	5000mm
□□□□	9x2.5x3.5□
□□□	16□
□□□□	6.895□
□□/□□	1430/2570□
□□□□	DFL5160JSQBX5A
□□□□	SQ114
□□□□	6.3□
□□□□	2.91□

□□ □
□□□□□

□□□□

Verified Certificates

□□□□□ 15□
□□□ □□□□□□□□□□□□□□□20'GP□40'GP□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□ □□□□□□□□

A[illegible] [illegible]

[illegible] [illegible] ISO [illegible]

A[illegible] [illegible]

Q[illegible] [illegible]

[illegible] [illegible] 15 [illegible] 30 [illegible]

Q[illegible] [illegible]

A[illegible] [illegible] RORO [illegible]

[illegible] [illegible]

A[illegible] [illegible] 3000 [illegible]

[illegible] [illegible]

A[illegible] [illegible] ISO CCC BV [illegible]

[illegible] [illegible]

A[illegible] [illegible]

[illegible] [illegible]

A[illegible] [illegible] 1 [illegible]

[illegible]

A[illegible] [illegible] T/T [illegible]

Q[illegible] [illegible]

[illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible]

Contact us

Hubei Miou Special Automobile Technology Co.,Ltd
Name:Lincy
Post: Sales Representative
Email:lincy@chinasonglin.cn
Tel:+8613597902165
QQ:2853937064
Website:www.mioutruck.com