

## Product Details

Model: EQ1160ZZ4GJ      Emission: Euro4      Dimensions: 7225 \* 2460 \* 2610

Wheelbase: 10.00-20      No. of axles: 6      Wheeltrack (mm): 1940

Engine: ISB190 40 (L)      Power: 5900 (kw): 140

## Product Display





[www.miotruck.com](http://www.miotruck.com)



[www.miotruck.com](http://www.miotruck.com)



### Technical Parameter

EQ1160ZZ4GJ			
product name	EQ1160ZZ4GJ		
G.V.W(kg)	16000	axle load(kg)	4 * 2
payload(kg)	4800	axle load(kg)	8650 * 2500 * 3000
gross weight(kg)	11005	axle load(kg)	3
A/D ratio	20/16	F/R suspension(kg)	1205/2495
axle No.s	2	wheelbase(mm)	4500
axle load(kg)	6000/10000	max speed(km/h)	90
EQ1160ZZ4GJ			
product name	EQ1160ZZ4GJ	axle load(kg)	4 * 2
emission standard	Euro4	axle load(kg)	7225 * 2460 * 2610
tyre size	10.00-20	tyre No.s	6
front wheeltrack(mm)	1940	rear wheeltrack(mm)	1860
fuel type	desiel	engine model	ISB190 40

displacement(L)	5900	□□ □ (kw)	140
□□			
□□□ □□ □□	6	□ □□ □□	3.5
□□□ □□ □□	□□□□□ □□	□ □□□ □□	□□□□□ □□
□ □□ □□	EQB140-20	□□	103kw
□□ speed(km/h)	3/20	□□ □	3300
□□ □□	100 m m = 1.5 k g	□□□	96%

## Our Company & Factory

□□ □ □□:

□□□ □ □, □□□ □, □□□□□ □□ □ □□□□. □□□ □□ □□□ □□

R & D, □□, □□ □□ □□ □□ □□□ □□ □ □ □□□ □□□ □□ □ □□ □□ □□ □□

□□ □□ □□ □ □ Zhengmeng □□ □□ □□ Co., □□ □□

□□ □□□□□:





## Package & Shipment

□□ □□ □□: □□ □ 15 □ □□□ □□

□□ □□ □□: □□, □ □, □□ □□□ □□ □ □□□□ 20' GP 40' GP, □ □□ □□ □ □ □□ □□ □□ □□ ro ro □□ □□ □□ □□ □□ □□ □□



## FAQ

**Q: □□□ □ □?**

A: One □

**ISO □□□□ □□?**

□□□□□, □□□, pls □□□ □ □□ □□□ □□□ □□.

**Q: □□ □□□ □ □?**

A: □□□ □□□ □□□□ □□ □□ □□, □□ □□□ □□□ □ □□ □ □□ 15 □, □□ □□, □□□ □□ □ 30 □ □□□ □ □ □□.

**Q: □□□ □ □?**

