Product Details

00 00 00 :

□□□□ : 4 * 2 □□ (□□) : 11-20t □□ : 150 - 250hp

00:000 000:00 00:004

□□ □□ : □□ □□ □□ : 4 - 6L □ □□ □□ : 15,900







Technical Parameter

0 0		EQ3160GF7	
	000 00 00 00 / 00 / 00 (mm)	8800x2480x3000	
	□□ □□ (kg)	15900	
	□□ □□ (kg)	7,580	
	□□ □□ (kg)	8125	
	00 00		
	□□ □□ (kmh)	(85)	
		EQ3160GFJ7	
		4 * 2, LHD (□□ RHD)	
	00 0 00	(2)	
	F / R 🖂 🖂 (🖂 🖂)	9,950 5,950	
	(mm)	5100	
	(mm)	1,920	
	(mm)	1,800	
	aa / aa aa (a)	15 🗆 23	
	F / R □□ (mm)	2,370 1,230	
	00 0 000	6	
	000 00	9.00R20,10.00R20	
	00 0 0	10 9 + 8	
	00	(5) 000 00 1 0 00, 00 0000 00	
		Uniwafer, 🔲 🔲 🖺 🗎 🗎	
	00 00	00 00, 0 0 00	
	00		
	00 00	00 0 000	
	00	ISB3.9-140E40A	
		(140)	
	(CC) / (kw)	103 🗆 3,900	
	00	Euro4	

Our Company & Factory

ı	ш		ш	

- D, 00 0 00 00 00 0 00 00

OO OOOOO :



OO OOOOO :



Verified Certificates













Package & Shipment

00: 00, 000 00, 00 00 20'GP 00 40'GP0 00 0 0000, 0 000 0

000 000 000 000, 00 0000 00, 0000 0000 000!



Contact us

000 000 000 000, 00 0000 00, 0000 0000 0000 00!

|| :

Hubei Miou Special Purpose Vehicle Technology Co.,Ltd

Manager: Janice Email:chinatruck@chinasonglin.cn

Skype:694604857@qq.com

Mob: +86-18772959567 Tel: 86-0719-8319942