

## Product Details

00 00 00

00: 000

0000 00: 4 x 2

00 00: 00

00: 00 0

T ransmission 00: 00

00 00: 6500

00 00: 00 4

00: 10001-15000 L

0 00 00: 12400

## Product Display





**Technical Parameter**

□□ □□	
□□	□□
□□ □□	□□□ □□ □□

□□□□ □□ (mm)	7570 * 2490 * 3250	
□□	EQ1128GLJ	
□□	□ □□□ □□□ □□ □□	
Exhaust/power(ml/kw)	6500/132	
□□□ □	2	
□□ □□ (mm)	365,038,003,950	
□□	GVW(kg)	12490
	Capacity(kg) □□ □	4600
	Vehicle(kg)□ □□ □□	7695
□□□	□□□ □□	6
	□□□ □□	9.00 R 20 16PR, 10.00-20 14PR, 10.00R20

## Our Company & Factory

### □□ □ □□:

□□□ □ □, □□□ □□□ □□ □ □, □□ □□□ R & D, □□, □□ □□ □□ □□□ □□□. □□□ □□ □□ □ □ Zhengmeng □□ □□ □□ Co., □□ □□ □□ □ □ □□□ □□□ □□ □ □□ □□ □□ □□□

### □□ □□□□□:



### □□ □□□□□:





## Verified Certificates



## Package & Shipment



Manager Sara

Skype: newst-sara

Tel: 86-0719-8319942

Mob.: 86-13872781686

E-mail: truck@chinasonglin.cn

Address: Cadillac Road No. 9,  
Zhangwan District, Shiyan City, Hubei province

*Hubei Miou Special Vehicle Technology Co., Ltd.*