Product Details

[] (mm): 3300

<u>|</u>: 2

□□: 2 / 3





Technical Parameter

	CLW5040XQYD4 [] [] []	G.V.W(kg)	4495		
□□	1495,1430	□□(mm)	5995×2095×2900		
□□	2870	□□(mm)	4150×1960×1800		
	2, 3				
	2	□ □(mm)	3300		
□□	1800/2695	Max.speed(Km/h)	80		
		-			
	DFA1041SJ35D6				
□□ (mm)	5845×1900×2220		6		
			7.00-16 8PR, 7.00R16 8PR		
	8 / 9 + 5, 6 / 8 + 4	F/R □□□(mm)	1506,1404,1500/1466,1458,1520		
	□□ 4	•			
		□□ (ml)	□□(Kw)		
CY4102-CE4F		2982	66		

Our Company & Factory





Verified Certificates





A:One []			

ISO [[[[]] [[]]?

00000, 000, pls 000 0 00 000 000 00.

Q: 00 000 0 0?

Q: 000 0 0?

Q: 000 00 00 00 0 0 00 000?

A: 🔲 3000 🔲

000 000 000 000 000 000?

 $A: \ \ \square \$

Q: 0000 00 00 000 000 000?

A: 000 00 00 00 0 00 0 00 00 00, 0 3 0 0000 00 00 00.

Q: 000 00 000 00 0 00000? 000 00 MOQ 00?

0000, 000, 000 MOQ0 1 00.

Q: 00 00 00 0000?

A: T/T [] [] [].

Q: 00 00 0 000?

.000 000 000 000000 000 000, 00 000!

Hubei Miou Special Automobile Technology Co., Ltd

Name: Katherine Lee

Post: Foreign Trade

Email: truckcn@chinasonglin.cn

Tel:+086-07198319942

+86 13636179455