Product Details

Product Display





Technical Parameter

□ Longjun □ □ 200HP 4 × □ □ □ (EQ5160CCYN1-40)

| □□ Longjun □□ □□ 200HP × 2 □□□ □□ (EQ5160CCYN1-40) | | |
|--|----------------|--|
| | | |
| 00 00 | EQ5160CCYN1-40 | |
| G. V. W. (kg) | 15995 | |
| □□□ □□, □ (kg) | 5810 | |
| □□ □□ (kg) | 9990 | |
| 0000 00 | × 2 | |
| □ □□ □□ (KG) | 5,995 | |
| □□ □□ (KG) | 9000 | |
| 0.000 | 10□□ 8 + 8 | |
| □□ □□ (km / h) | (90) | |
| | 10.00-20 | |
| | | |

| (mm) (L *_ [*]) | | 9000x2500x3450 |
|----------------------|-----------------|----------------|
| □□ (mm) (L *□ □ * H) | | 6740x2294x550 |
| □□□□ (mm) | | 5200 |
| □ □□ (mm) | | 1920,1820 |
| | | |
| | | 0 00 |
| | | |
| 00 | □□□ & A; □□ | NQ200N4 |
| | 00.00 | (200) |
| | 00.0 | 147 |
| | Max.output □□ | (650) |
| | Displacment (□) | 5,638 |
| | 00 00 | |
| 00 00 | □□□ & A; □□ | 0 8 00 00 |
| |] 00 | □□ 4 |

Our Company & Factory

□□ □□ **:**

OO OOOOO :







Package & Shipment



FAQ

Q: 000 000 00?

A : [] []

$\Pi\Pi$: $\Pi\Pi\Pi$ ISON $\Pi\Pi\Pi\Pi$ $\Pi\Pi\Pi$?

A: 0, 0000, pls0 00 000 000 00 000 00.

Q: 000 00 00 00?

Q: 000 000 00?

Q:000 00 00 000 000 0 0 00 000?

A : □□ 3000 □□

$Q: \Pi\Pi\Pi \Pi \Pi\Pi\Pi \Pi\Pi\Pi \Pi\Pi$?

Q: 0000 00 00?

 $\square\square:T$ / T $\square\square$ $\square\square\square$ L / $C\square$ $\square\square\square$.

$Q: \Pi\Pi \Pi\Pi \Pi \Pi\Pi\Pi\Pi\Pi\Pi\Pi$?

Contact us

000 000 000 000, 00 0000 00, 0000 0000 0000 00!

□□:

000 00 000 0 000 00000, pls0 000 00 0000. 000 000000 00 0 000 0 000. Pls0 000 0 0 000 000 000

Manager Sara

Skype: newst-sara Tel: 86-0719-8319942 Mob.: 86-13872781686

E-mail: truck@chinasonglin.cn Address: No.9 Cadillac Street

Zhangwan District, Shiyan City, Hubei province

Hubei Micu Special Automobile Technology Co., Ltd