

## Product Details

排放标准: Euro4  
载重: 6.3T  
尺寸: 9 x 2.5 x 3.5 M  
轴距: 9.00 r 20  
No.s:6 配置

## Product Display





Technical Parameter

ISB180 40	ISB180 40
5.9 L	5.9 L
132kW	132kW
180hp	180hp
4	4
DFL1160BX5	DFL1160BX5
8 / 10 + 8	8 / 10 + 8
1880/1860 m m	1880/1860 m m
6	6
9.00 R 20	9.00 R 20
4 X 2	4 X 2
5000 m m	5000 m m
9x2.5x3.5M	9x2.5x3.5M
267	267
6.895T	6.895T
1430/2570 M	1430/2570 M
DFL5160JSQBX5A	DFL5160JSQBX5A
SQ114	SQ114
6.3T	6.3T
2.91T	2.91T

## Our Company & Factory

ISB 180 40:

ISB 180 40, 5.9 L, 132 kW R & D, 180 hp, 4, 6, 9.00 R 20, 4 X 2, 5000 mm, 9x2.5x3.5M, 267, 6.895T, 1430/2570 M, DFL5160JSQBX5A, SQ114, 6.3T, 2.91T

ISB 180 40



□□ □□□□



Verified Certificates



Package & Shipment

□□: □□, □ □, □□ □□□□ □□ □□□□ 20' GP 40' GP, □ □□ □□ □ □□ □□□□ □□ ro ro □□ □□ □□ □□ □□ □□

□□ □□: 15 □



FAQ

Q: 鋼管 鋼 鋼?

A: One 鋼

ISO 鋼鋼鋼 鋼鋼?

鋼鋼鋼, 鋼鋼, pls 鋼鋼 鋼 鋼 鋼鋼 鋼鋼 鋼鋼.

Q: 鋼 鋼鋼 鋼 鋼?

A: 鋼鋼 鋼鋼 鋼鋼鋼 鋼 鋼 鋼鋼, 鋼 鋼鋼 鋼鋼 鋼 鋼 鋼 鋼 鋼 15 鋼, 鋼 鋼鋼, 鋼鋼 鋼鋼 鋼 30 鋼 鋼鋼 鋼 鋼 鋼鋼.

Q: 鋼鋼 鋼 鋼?

A: 鋼 RORO 鋼 鋼 鋼 鋼 鋼鋼 鋼 鋼鋼鋼 鋼 鋼 鋼 鋼鋼鋼, 鋼鋼鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼 PIs 鋼鋼 鋼 鋼 鋼 鋼鋼 鋼鋼鋼.

Q: 鋼鋼 鋼鋼 鋼鋼 鋼鋼 鋼 鋼 鋼鋼 鋼鋼?

A: 鋼 3000 鋼鋼

鋼鋼 鋼鋼 鋼鋼 鋼鋼 鋼鋼 鋼鋼?

A: 鋼 鋼鋼 鋼 鋼 workshop ISO CCC BV 鋼鋼鋼鋼鋼, 鋼鋼 鋼鋼 鋼 鋼 鋼鋼. 鋼鋼 鋼鋼 鋼 scrutinizing 鋼 鋼鋼 鋼鋼.

Q: 鋼鋼鋼 鋼鋼 鋼鋼 鋼鋼 鋼鋼 鋼鋼?

A: 鋼鋼 鋼鋼 鋼鋼 鋼鋼 鋼鋼 鋼鋼 鋼鋼, 鋼 3 鋼 鋼鋼鋼 鋼鋼 鋼鋼 鋼鋼.

Q: 鋼鋼 鋼鋼 鋼鋼 鋼鋼 鋼 鋼鋼鋼鋼? 鋼鋼 鋼鋼 MOQ 鋼鋼?

鋼鋼鋼鋼, 鋼鋼, 鋼鋼 MOQ 1 鋼鋼.

Q: 鋼鋼 鋼鋼 鋼鋼 鋼鋼鋼鋼?

A: T/T 鋼鋼 鋼鋼 鋼鋼.

Q: 鋼鋼 鋼鋼 鋼 鋼鋼?

A: 鋼鋼 鋼鋼 鋼 鋼鋼 鋼鋼, 鋼鋼鋼鋼, 鋼鋼鋼鋼, 鋼鋼鋼鋼, 鋼鋼, 鋼鋼, 鋼鋼, 鋼鋼, 鋼鋼, 鋼鋼, 鋼鋼, 鋼鋼, 鋼鋼 鋼 鋼鋼 鋼鋼 鋼鋼鋼鋼 鋼鋼 鋼 鋼 鋼 鋼鋼

□□□□ □□ □□□ □□.

## Contact us

□□□ □□□ □□□□□□ □□□ □□□, □□ □□□!

□□ □□:

□□ □□□ □□□ □□ □□ □□. □□□ □□□ □□□ □□ □□ □ □□□□ □□□ □□□ □□ □□□ □□ □ □□□□.

□□□ □□ □□ □□ □ □□ □□ □□ pls □□ □ □□ □□□□□. □□□ □□□ □□□□ □ □ □□ □□□□. Pls □□ □ □□□ □□□ □□ □□□□:

***Hubei Miou Special Automobile Technology Co.,Ltd***

***Name:Lincy***

***Post: Sales Representative***

***Email:lincy@chinasonglin.cn***

***Tel:+8613597902165***

***QQ:2853937064***

***Website:www.mioutruck.com***